

PREFACE

The Entomological Society of New Zealand (Inc.) in 1967 published an interim list of Standard Names for Common Insects. Since this original list was printed, additions have been proposed as well as some changes to the original scientific and standard names, which has prompted the writing of a new list. The opportunity provided by this revision has been used to widen the scope of the original list.

The primary objective of this new list is to 'standardise' those common names of economically important terrestrial invertebrates and other species commonly encountered. Many of the species included in the list have several commonly used names, and the Society proposes that by establishing this standard names list people will be encouraged to use only the recommended name. This will aid the layman and scientist alike by providing a standard framework for communication. It will also provide a quick means of checking for correct spelling, usage and citations.

The choice of each standard name was dependent upon complying with some 17 criteria. These criteria or principles were established by the committee as a set of guidelines to aid in consistency and standardisation. In general if there was a name well established overseas, it was given priority, as were names well established in the literature. Preference was given to names based on a translation of the specific epithet, whereas names based on the generic name were not preferred as these are subject to frequent change and possibility of application to more than one species in the same genus. Cross-referencing has been limited to those species with recent name changes or where more than one name has been in common usage.

New Zealand is fortunate in its rich Maori history and tradition, and it was felt by the committee that when possible the Maori name should be used, or if there was an already established name the Maori name is found in parentheses following the standard name. In 1952 Dr David Miller wrote a paper titled 'Insect People of the Maori', published by the Polynesian Society (Wellington). In this paper Dr Miller presented an annotated list of Maori nomenclature and some of the folklore associated with the different names.

For example the Maori name whe represented both the stick insect and the praying mantis. "The distinction between the mantis and stick insect was of importance to the Maori, if whe alighted on a woman it was a sign of conception, and according to which kind of whe (mantis or stick insect) it was known whether the child would be male or female." The Maori in many cases were not as particular as the modern day taxonomist, and may have lumped several species or groups of insects together on common grounds. In general we have only included those Maori names that are relatively specific. We hope that in a small way we can help perpetuate this area of Maori folklore.

D.N. Ferro
Lincoln College December 1977

SCIENTIFIC NAME	COMMON NAME
<i>Acalitus essigi</i> (Hassan) - Eriophyidae (ACARI)	redberry mite
<i>Acanthoconops myersi</i> Tonnoir - Ceratopogonidae (DIPTERA)	coastal biting midge
<i>Acanthoscelides obtectus</i> (Say) - Bruchidae (COLEOPTERA)	bean weevil
<i>Acanthoxyla prasina</i> (Westwood) - Phasmatidae (PHASMATODEA)	prickly stick insect (whe)
<i>Acarus siro</i> L. - Acaridae (ACARI)	cereal mite
<i>Aceria erineae</i> (Nalepa) - Eriophyidae (ACARI)	walnut erineum mite
<i>Aceria sheldoni</i> (Ewing) - Eriophyidae (ACARI)	citrus bud mite
<i>Aceria tristriata</i> (Nalepa) - Eriophyidae (ACARI)	walnut blister mite
<i>Aceria tulipae</i> (Keifer) - Eriophyidae (ACARI)	wheat curl mite
<i>Aceria waltheri</i> (Keifer) - Eriophyidae (ACARI)	beech bud mite
<i>Achaearanea veruculata</i> (Urquhart) - Theridiidae (ARANEAE)	New Zealand cobweb spider
<i>Achroia grisella</i> (F.) - Pyralidae (LEPIDOPTERA)	lesser wax moth
<i>Aculops lycopersici</i> (Massee) - Eriophyidae (ACARI)	tomato russet mite
<i>Aculus cornutus</i> (Banks) - Eriophyidae (ACARI)	peach silver mite
<i>Aculus schlechtendali</i> (Nalepa) - Eriophyidae (ACARI)	apple rust mite
<i>Acyrtosiphon kondoi</i> Shinji - Aphididae (HEMIPTERA)	bluegreen lucerne aphid
<i>Acyrtosiphon malvae</i> (Mosley) - Aphididae (HEMIPTERA)	pelargonium aphid
<i>Acyrtosiphon pisum</i> (Harris) - Aphididae (HEMIPTERA)	pea aphid
<i>Adalia bipunctata</i> (L.) - Coccinellidae (COLEOPTERA)	twospotted ladybird
<i>Adelges nordmannianae</i> (Eckstein) - Adelgidae (HEMIPTERA)	fir adelgid
<i>Adoryphorus couloni</i> (Burmeister) - Scarabaeidae (COLEOPTERA)	Australian black beetle
<i>Aedes antipodeus</i> (Edwards) - Culicidae (DIPTERA)	winter mosquito
<i>Aedes notoscriptus</i> (Skuse) - Culicidae (DIPTERA)	striped mosquito
<i>Aenetus virescens</i> (Doubleday) - Hepialidae (LEPIDOPTERA)	puriri moth (anuhe)
<i>Aeolothrips fasciatus</i> (L.) - Aeolothripidae (THYSANOPTERA)	banded thrips
<i>Agonochila binotata</i> (Erichson) - Carabidae (COLEOPTERA)	twospotted ground beetle
<i>Agriolimax agrestis</i> L. - Limacidae (STYLOMMATOPHORA)	tawny field slug
<i>Agriolimax laevis</i> (Müller) - Limacidae (STYLOMMATOPHORA)	pale slug
<i>Agriolimax reticulatus</i> (Müller) - Limacidae (STYLOMMATOPHORA)	grey field slug
<i>Agrius convolvuli</i> (L.) - Sphingidae (LEPIDOPTERA)	convolvulus hawk moth (hihue)
<i>Agrotis ypsilon aneituma</i> (Walker) - Noctuidae (LEPIDOPTERA)	greasy cutworm
<i>Agrypnus variabilis</i> (Candeze) - Elateridae (COLEOPTERA)	variable wireworm
<i>Ahasverus advena</i> (Waltl) - Silvanidae (COLEOPTERA)	foreign grain beetle
<i>Aleyrodes proletella</i> (L.) - Aleyrodidae (HEMIPTERA)	cabbage whitefly
<i>Algidia</i> spp. - Triaenonychidae (OPILIONES)	hard bodied harvestmen
<i>Allotrochosina schauinslandi</i> (Simon) - Lycosidae (ARANEAE)	brown wolf spider
<i>Alphitobius diaperinus</i> (Panzer) - Tenebrionidae (COLEOPTERA)	lesser mealworm
<i>Ambeodontus tristis</i> (F.) - Cerambycidae (COLEOPTERA)	twotoothed longhorn
<i>Amphipsalta cingulata</i> (F.) - Cicadidae (HEMIPTERA)	clapping cicada (kihikihi)
<i>Amphipsalta strepitans</i> (Kirkaldy) - Cicadidae (HEMIPTERA)	chirping cicada
<i>Amphipsalta zealandica</i> (Boisduval) - Cicadidae (HEMIPTERA)	chorus cicada

SCIENTIFIC NAME	COMMON NAME
<i>Anabarynchus bilineatus</i> (F.) - Therevidae (DIPTERA)	beach stillete fly
<i>Anacharis zealandica</i> Ashmead - Figitidae (HYMENOPTERA)	lacewing parasite
<i>Anagasta kuehniella</i> (Zeller) - refer	<i>Ephestia kuehniella</i> Zeller
<i>Anagotus helmsi</i> Sharp - Curculionidae (COLEOPTERA)	Helms' beech weevil
<i>Anaphothrips obscurus</i> (Müller) - Thripidae (THYSANOPTERA)	American grass thrips
<i>Anguina agrostis</i> (Steinbuch) - Tylenchidae (NEMATODA)	browntop seed nematode
<i>Anguina tritici</i> (Steinbuch) - Tylenchidae (NEMATODA)	wheat cockle nematode
<i>Anisolabis littorea</i> (White) - Labiduridae (DERMAPTERA)	seashore earwig (mata)
<i>Anisopus neozelandicus</i> (Schiner) - refer	<i>Sylvicola neozelandicus</i> (Schiner)
<i>Anisopus notatus</i> (Hutton) - refer	<i>Sylvicola notatus</i> (Hutton)
<i>Anisops assimilis</i> White - Notonectidae (HEMIPTERA)	common backswimmer
<i>Anobium punctatum</i> (de Geer) - Anobiidae (COLEOPTERA)	house borer
<i>Antheraea eucalypti</i> Scott - Saturniidae (LEPIDOPTERA)	gum emperor moth
<i>Anthicus floralis</i> L. - Anthicidae (COLEOPTERA)	narrownecked grain beetle
<i>Anthrenocerus australis</i> (Hope) - Dermestidae (COLEOPTERA)	Australian carpet beetle
<i>Anthrenus verbasci</i> (L.) - Dermestidae (COLEOPTERA)	varied carpet beetle
<i>Anzacia gemma</i> (Dalmas) - Gnaphosidae (ARANEAE)	silvery vagabond spider
<i>Aonidiella aurantii</i> (Maskell) - Diaspididae (HEMIPTERA)	California red scale
<i>Aoteapsyche colonica</i> (McLachlan) - Hydropsychidae (TRICHOPTERA)	common netbuilding caddis
<i>Apanteles glomeratus</i> (L.) - Braconidae (HYMENOPTERA)	white butterfly parasite
<i>Aphelenchoides fragariae</i> (Ritzema Bos) - Aphelenchidae (NEMATODA)	strawberry leaf nematode
<i>Aphelenchoides ritzemabosi</i> (Schwartz) - Aphelenchidae (NEMATODA)	chrysanthemum leaf nematode
<i>Aphelinus mali</i> (Haldeman) - Aphelinidae (HYMENOPTERA)	woolly aphid parasite
<i>Aphis annulata</i> Hartig - Aphididae (HEMIPTERA)	oak aphid
<i>Aphis citricola</i> van der Goot - Aphididae (HEMIPTERA)	spirea aphid
<i>Aphis craccivora</i> Koch - Aphididae (HEMIPTERA)	black bean aphid
<i>Aphis gossypii</i> Glover - Aphididae (HEMIPTERA)	melon aphid
<i>Aphis idaei</i> van der Goot - Aphididae (HEMIPTERA)	raspberry aphid
<i>Aphis nerii</i> Boyer de Fonscolombe - Aphididae (HEMIPTERA)	oleander aphid
<i>Aphodius tasmaniae</i> Hope - Scarabaeidae (COLEOPTERA)	Tasmanian grass grub
<i>Apion ulicis</i> (Forster) - Apionidae (COLEOPTERA)	gorse seed weevil
<i>Apis mellifera</i> L. - Apidae (HYMENOPTERA)	honey bee
<i>Aptinotrips rufus</i> (Haliday) - Thripidae (THYSANOPTERA)	grass thrips
<i>Arachnocampa luminosa</i> (Skuse) - Mycetophilidae (DIPTERA)	New Zealand glowworm (puratoko)
<i>Arachnura feredayi</i> (Koch) - Araneidae (ARANEAE)	tailed forest spider
<i>Araneus crassus</i> (Walckenaer) - Araneidae (ARANEAE)	whitebanded orbweb spider
<i>Araneus pustulosus</i> Walckenaer - Araneidae (ARANEAE)	garden orbweb spider
<i>Araneus viridatus</i> (Urquhart) - Araneidae (ARANEAE)	green orbweb spider
<i>Archeocrypticus topali</i> Kaszab - Archeocrypticidae (COLEOPTERA)	Topal's beetle
<i>Archicauliodes diversus</i> Walker - Corydalidae (MEGALOPTERA)	dobsonfly
<i>Arecocryptus bellus</i> Broun - Curculionidae (COLEOPTERA)	nikau weevil
<i>Arecopais spectabilis</i> Broun - Anthribidae (COLEOPTERA)	nikau anthribid
<i>Argiope protensa</i> (Koch) - Araneidae (ARANEAE)	tailed grass spider
<i>Argosarchus horridus</i> (White) - Phasmatidae (PHASMATODEA)	New Zealand giant stick insect
<i>Argyrophenaga antipodum</i> Doubleday - Nymphalidae (LEPIDOPTERA)	tussock butterfly
<i>Arhopalus ferus</i> (Mulsant) - Cerambycidae (COLEOPTERA)	burnt pine longhorn

SCIENTIFIC NAME	COMMON NAME
<i>Arion ater</i> (L.) - Arionidae (STYLOMMATOPHORA)	European black slug
<i>Arion hortensis</i> Ferussac - Limacidae (STYLOMMATOPHORA)	orange soled slug
<i>Artystona</i> spp. - Tenebrionidae (COLEOPTERA)	lichen darkling beetles
<i>Aspidiotus nerii</i> Bouché - Diaspididae (HEMIPTERA)	oleander scale
<i>Asterolecanium quercicola</i> (Bouché) - Asterolecaniidae (HEMIPTERA)	golden oak scale
<i>Asterolecanium variolosum</i> (Ratzeburg) - Asterolecaniidae (HEMIPTERA)	golden oak scale
<i>Asynonychus cervinus</i> (Boheman) - Curculionidae (COLEOPTERA)	Fuller's rose weevil
<i>Ataenius brouni</i> (Sharp) - Scarabaeidae (COLEOPTERA)	Broun's scarab
<i>Ataenius picinus</i> Harold - Scarabaeidae (COLEOPTERA)	pitchy scarab
<i>Atheta</i> spp. - Staphylinidae (COLEOPTERA)	vexing rove beetles
<i>Atrichonotus taeniatulus</i> (Berg) - Curculionidae (COLEOPTERA)	little fringed weevil
<i>Aulacaspis rosae</i> (Bouché) - Diaspididae (HEMIPTERA)	rose scale
<i>Aulacaspis rosarum</i> Borchsenius - Diaspididae (HEMIPTERA)	Asiatic rose scale
<i>Aulacorthum circumflexum</i> (Buckton) - Aphididae (HEMIPTERA)	lily aphid
<i>Aulacorthum solani</i> (Kaltenbach) - Aphididae (HEMIPTERA)	foxglove aphid
<i>Austrolestes colenonis</i> (White) - Lestidae (ODONATA)	blue damselfly (kekewai)
<i>Austrosimulium australense</i> (Schiner) - Simuliidae (DIPTERA)	New Zealand black fly
<i>Austrosimulium unguatum</i> Tonnoir - Simuliidae (DIPTERA)	West Coast black fly
<i>Bassaris gonerilla gonerilla</i> (F.) - Nymphalidae (LEPIDOPTERA)	red admiral
<i>Bassaris gonerilla ida</i> (Alfken) - Nymphalidae (LEPIDOPTERA)	Chatham Island red admiral
<i>Bassaris itea</i> (F.) - Nymphalidae (LEPIDOPTERA)	yellow admiral
<i>Bedellia somnulentella</i> (Zeller) - Lyonetiidae (LEPIDOPTERA)	convolvulus leafminer
<i>Bethelium signiferum</i> (Newman) - Cerambycidae (COLEOPTERA)	wattle longhorn
<i>Betulaphis quadrituberculata</i> (Kaltenbach) - Aphididae (HEMIPTERA)	silver birch aphid
<i>Blatella germanica</i> (L.) - Blattellidae (BLATTODEA)	German cockroach
<i>Blosyropus spinosus</i> Redtenbacher - Cerambycidae (COLEOPTERA)	spiny longhorn
<i>Bombus hortorum</i> (L.) - Apidae (HYMENOPTERA)	small garden bumble bee
<i>Bombus ruderatus</i> F. - Apidae (HYMENOPTERA)	large garden bumble bee
<i>Bombus subterraneus</i> (L.) - Apidae (HYMENOPTERA)	shorthaired bumble bee
<i>Bombus terrestris</i> (L.) - Apidae (HYMENOPTERA)	large earth bumble bee
<i>Bourletiella hortensis</i> (Fitch) - Sminthuridae (COLLEMBOLA)	garden springtail
<i>Brachycaudus helichrysi</i> (Kaltenbach) - Aphididae (HEMIPTERA)	leafcurl plum aphid
<i>Brachycaudus persicae</i> (Passerini) - Aphididae (HEMIPTERA)	black peach aphid
<i>Brevicoryne brassicae</i> (L.) - Aphididae (HEMIPTERA)	cabbage aphid
<i>Brevipalpus obovatus</i> Donnadieu - Tenuipalpidae (ACARI)	privet mite
<i>Brevipalpus phoenicis</i> (Geijskes) - Tenuipalpidae (ACARI)	passionvine mite
<i>Bruchophagus gibbus</i> (Boheman) - Eurytomidae (HYMENOPTERA)	clover seed chalcid
<i>Bruchophagus roddi</i> Gussakovskii - Eurytomidae (HYMENOPTERA)	lucerne seed chalcid
<i>Bryobia cristata</i> (Duges) - Tetranychidae (ACARI)	lucerne mite
<i>Bryobia praetiosa</i> Koch - Tetranychidae (ACARI)	clover mite
<i>Bryobia repensi</i> Manson - Tetranychidae (ACARI)	pasture mite
<i>Bryobia ribis</i> Thomas - Tetranychidae (ACARI)	gooseberry mite
<i>Bryobia rubrioculus</i> (Scheuten) - Tetranychidae (ACARI)	brown mite

SCIENTIFIC NAME	COMMON NAME
<i>Cadra cautella</i> (Walker) - Pyralidae (LEPIDOPTERA)	dried fruit moth
<i>Caedicia simplex</i> (Walker) - Tettigoniidae (ORTHOPTERA)	katydid (kikipounamu)
<i>Calaphis flava</i> Mordvilko - Aphididae (HEMIPTERA)	birch aphid
<i>Caliroa cerasi</i> (L.) - Tenthredinidae (HYMENOPTERA)	cherryslug
<i>Callimorpha jacobaeae</i> (L.) - refer	<i>Tyria jacobaeae</i> (L.)
<i>Calliphora hortonae</i> (Walker) - Calliphoridae (DIPTERA)	small blue blow fly
<i>Calliphora quadrimaculata</i> (Svederus) - Calliphoridae (DIPTERA)	New Zealand blue blow fly (rako)
<i>Calliphora stygia</i> F. - Calliphoridae (DIPTERA)	brown blow fly
<i>Calliphora vicina</i> Robineau-Desvoidy - Calliphoridae (DIPTERA)	European blow fly
<i>Calliprason sinclairi</i> White - Cerambycidae (COLEOPTERA)	Sinclair's longhorn
<i>Calocoris norvegicus</i> (Gmelin) - Miridae (HEMIPTERA)	potato mirid
<i>Caloptilia azaleella</i> (Brants) - Gracillariidae (LEPIDOPTERA)	azalea leafminer
<i>Cambridgea</i> spp. - Stiphidiidae (ARANEAE)	sheetweb spiders
<i>Cambridgea foliata</i> (Koch) - Stiphidiidae (ARANEAE)	bush spider
<i>Cantuarina</i> spp. - Ctenizidae (ARANEAE)	ground dwelling trapdoor spiders
<i>Cantuarina huttoni</i> (Pickard-Cambridge) - Ctenizidae (ARANEAE)	open trapdoor spider
<i>Capitophorus elaeagni</i> (del Guercio) - Aphididae (HEMIPTERA)	thistle aphid
<i>Carcinops pumilio</i> (Erichson) - Histeridae (COLEOPTERA)	poultryhouse pill beetle
<i>Carpocapsa pomonella</i> (L.) - refer	<i>Laspeyresia pomonella</i> (L.)
<i>Carpoglyphus lactis</i> (L.) - Carpglyphidae (ACARI)	dried fruit mite
<i>Carpophilus hemipterus</i> (L.) - Nitidulidae (COLEOPTERA)	dried fruit beetle
<i>Carposina adreptella</i> (Walker) - Carposinidae (LEPIDOPTERA)	raspberry bud moth
<i>Carulaspis juniperi</i> (Bouché) - Diaspididae (HEMIPTERA)	juniper scale
<i>Carystoterna pingens</i> (Walker) - Aphrophoridae (HEMIPTERA)	variegated spittle bug
<i>Cavariella aegopodii</i> (Scopoli) - Aphididae (HEMIPTERA)	carrot aphid
<i>Cecidophyopsis ribis</i> (Westwood) - Eriophyidae (ACARI)	currant bud mite
<i>Cecyrope</i> spp. - Curculionidae (COLEOPTERA)	sand weevils
<i>Cerataphis orchidearum</i> (Westwood) - Aphididae (HEMIPTERA)	fringed orchid aphid
<i>Ceratognathus irroratus</i> (Parry) - Lucanidae (COLEOPTERA)	mottled stag beetle
<i>Ceratognathus parriani</i> (Westwood) - Lucanidae (COLEOPTERA)	Parry's stag beetle
<i>Ceratophyllus gallinae</i> (Schrank) - Ceratophyllidae (SIPHONAPTERA)	European chicken flea
<i>Cermatulus nasalis</i> (Westwood) - Pentatomidae (HEMIPTERA)	brown soldier bug
<i>Cerodontha denticornis</i> (Panzer) - Agromyzidae (DIPTERA)	wheat sheath miner
<i>Ceroplastes sinensis</i> del Guercio - Coccidae (HEMIPTERA)	Chinese wax scale
<i>Certonotus fractiventris</i> (Vollenhoven) - Ichneumonidae (HYMENOPTERA)	giant ichneumonid
<i>Chaerodes</i> spp. - Tenebrionidae (COLEOPTERA)	seaweed darkling beetles
<i>Chaetosiphon fragaefolii</i> (Cockerell) - Aphididae (HEMIPTERA)	strawberry aphid
<i>Chelaner antarcticus</i> (White) - Formicidae (HYMENOPTERA)	southern ant
<i>Chiracanthium stratioticum</i> (Koch) - Clubionidae (ARANEAE)	false nurseryweb spider
<i>Chironomus zealandicus</i> Hudson - Chironomidae (DIPTERA)	common midge
<i>Chirothrips manicatus</i> (Haliday) - Thripidae (THYSANOPTERA)	timothy thrips
<i>Chorioptes bovis</i> (Hering) - Psoroptidae (ACARI)	chorioptic mange mite
<i>Chrysodeixis eriosoma</i> (Doubleday) - Noctuidae (LEPIDOPTERA)	green looper
<i>Chrysomela hyperici</i> (Forster) - Chrysomelidae (COLEOPTERA)	St John's wort beetle
<i>Chrysomela quadrigemina</i> (Suffrian) - Chrysomelidae (COLEOPTERA)	greater St John's wort beetle
<i>Chrysomya rufifacies</i> (Macquart) - Calliphoridae (DIPTERA)	hairy maggot blow fly

SCIENTIFIC NAME	COMMON NAME
<i>Chrysosma</i> spp. - Dolichopodidae (DIPTERA)	green longlegged flies
<i>Cimex lectularius</i> L. - Cimicidae (HEMIPTERA)	bed bug
<i>Cinara juniperi</i> (de Geer) - Aphididae (HEMIPTERA)	conifer aphid
<i>Cis</i> spp. - Ciidae (COLEOPTERA)	bracket fungus beetles
<i>Clitarchus hookeri</i> (White) - Phasmatidae (PHASMATODEA)	smooth stick insect
<i>Clivina rugithorax</i> Putzeys - Carabidae (COLEOPTERA)	maize seed beetle
<i>Clubiona</i> spp. - Clubionidae (ARANEAE)	brownheaded vagrant spiders
<i>Coccinella leonina</i> F. - Coccinellidae (COLEOPTERA)	orangespotted ladybird
<i>Coccinella septempunctata</i> L. - Coccinellidae (COLEOPTERA)	sevenspotted ladybird
<i>Coccinella undecimpunctata</i> L. - Coccinellidae (COLEOPTERA)	elevenspotted ladybird
<i>Coccus elongatus</i> (Signoret) - Coccidae (HEMIPTERA)	long brown scale
<i>Coccus hesperidum</i> L. - Coccidae (HEMIPTERA)	brown soft scale
<i>Coelostomidia pilosa</i> (Maskell) - Margarodidae (HEMIPTERA)	shaggy giant scale
<i>Coelostomidia wairoensis</i> (Maskell) - Margarodidae (HEMIPTERA)	manuka giant scale
<i>Coelostomidia zealandica</i> (Maskell) - Margarodidae (HEMIPTERA)	great giant scale
<i>Coleophora frischella</i> L. - Coleophoridae (LEPIDOPTERA)	whitetipped clover casebearer
<i>Coleophora spissicornis</i> Haworth - Coleophoridae (LEPIDOPTERA)	banded clover casebearer
<i>Coloburiscus numeralis</i> (Walker) - Siphonuridae (EPHEMEROPTERA)	spinygilled mayfly
<i>Colomerus vitis</i> (Pagenstecher) - Eriophyidae (ACARI)	grape erineum mite
<i>Coloradoa rufomaculata</i> (Wilson) - Aphididae (HEMIPTERA)	pale chrysanthemum aphid
<i>Conocephalus</i> spp. - Tettigoniidae (ORTHOPTERA)	tussock katydids
<i>Conoderus exsul</i> Sharp - Elateridae (COLEOPTERA)	pasture wireworm
<i>Copris incertus</i> Say - Scarabaeidae (COLEOPTERA)	Mexican dung beetle
<i>Coptomma variegatum</i> (F.) - Cerambycidae (COLEOPTERA)	variegated longhorn
<i>Coptotermes</i> spp. - Rhinotermitidae (ISOPTERA)	subterranean termites
<i>Corticaria hirtalis</i> (Broun) - Lathridiidae (COLEOPTERA)	minute scavenger beetle
<i>Costelytra diurna</i> Given - Scarabaeidae (COLEOPTERA)	diurnal grass grub
<i>Costelytra zealandica</i> (White) - Scarabaeidae (COLEOPTERA)	grass grub (tutaeruru)
<i>Creophilus oculatus</i> (F.) - Staphylinidae (COLEOPTERA)	devil's coachhorse
<i>Crociosema plebeiana</i> Zeller - Tortricidae (LEPIDOPTERA)	common tipworm
<i>Cryptomorpha brevicornis</i> (White) - Silvanidae (COLEOPTERA)	shorthorned flat beetle
<i>Cryptomorpha desjardinsi</i> (Guerin) - Silvanidae (COLEOPTERA)	Desjardin's flat beetle
<i>Cryptolaemus montrouzieri</i> Mulsant - Coccinellidae (COLEOPTERA)	mealy bug ladybird
<i>Cryptolestes ferrugineus</i> (Stephens) - Cucujidae (COLEOPTERA)	rusty grain beetle
<i>Cryptolestes pusillus</i> (Schoenherr) - Cucujidae (COLEOPTERA)	flat grain beetle
<i>Ctenarytaina eucalypti</i> (Maskell) - Psyllidae (HEMIPTERA)	bluegum psyllid
<i>Ctenarytaina fuchsiae</i> (Maskell) - Psyllidae (HEMIPTERA)	fuschia psyllid
<i>Ctenocephalides canis</i> (Curtis) - Pulicidae (SIPHONAPTERA)	dog flea
<i>Ctenocephalides felis</i> (Bouché) - Pulicidae (SIPHONAPTERA)	cat flea
<i>Ctenochiton viridis</i> Maskell - Coccidae (HEMIPTERA)	sixpenny scale
<i>Ctenopseustis obliquana</i> (Walker) - Tortricidae (LEPIDOPTERA)	brownheaded leafroller
<i>Cuclotogaster heterographus</i> (Nitzsch) - Philopteridae (PHTHIRAPTERA)	poultry head louse
<i>Culex pervigilans</i> Bergroth - Culicidae (DIPTERA)	vigilant mosquito
<i>Cuspicona simplex</i> Walker - Pentatomidae (HEMIPTERA)	green potato bug
<i>Cyclosa trilobata</i> (Urquhart) - Araneidae (ARANEAE)	three lobed spider
<i>Cydia molesta</i> Busck - refer	<i>Grapholitha molesta</i> (Busck)

SCIENTIFIC NAME	COMMON NAME
<i>Cydia pomonella</i> (L.) - refer	<i>Laspeyresia pomonella</i>
<i>Cynthia kershawi</i> McCoy - Nymphalidae (LEPIDOPTERA)	Australian painted lady
<i>Cytodites nudus</i> (Vizioli) - Cytoditidae (ACARI)	air sac mite
<i>Damalinea bovis</i> (L.) - Trichodectidae (PHTHIRAPTERA)	cattle biting louse
<i>Damalinea caprae</i> (Gurli) - Trichodectidae (PHTHIRAPTERA)	goat biting louse
<i>Damalinea equi</i> Denny - Trichodectidae (PHTHIRAPTERA)	horse biting louse
<i>Damalinea limbata</i> (Gervais) - Trichodectidae (PHTHIRAPTERA)	fringed goat louse
<i>Damalinea ovis</i> (Schrank) - Trichodectidae (PHTHIRAPTERA)	sheep body louse
<i>Danaus chrysippus petilia</i> (Stoll) - Nymphalidae (LEPIDOPTERA)	lesser wanderer
<i>Danaus plexippus</i> (L.) - Nymphalidae (LEPIDOPTERA)	monarch
<i>Dasygnathus dejeani</i> Macleay - Scarabaeidae (COLEOPTERA)	Dejean's scarab
<i>Dasyneura alopecuri</i> (Reuter) - Cecidomyiidae (DIPTERA)	meadow foxtail midge
<i>Dasyneura hebefolia</i> Lamb - Cecidomyiidae (DIPTERA)	midleaf hebe gall midge
<i>Dasyneura mali</i> Kieffer - Cecidomyiidae (DIPTERA)	apple leafcurling midge
<i>Dasyneura pyri</i> (Bouché) - Cecidomyiidae (DIPTERA)	pear leafcurling midge
<i>Dasyptodia cymatoides</i> Guenée - Noctuidae (LEPIDOPTERA)	owl moth
<i>Dasyptodia selenophora</i> Guenée - Noctuidae (LEPIDOPTERA)	moon moth (pari kori taua)
<i>Dasytes</i> spp. - Melyridae (COLEOPTERA)	metallic flower beetles
<i>Declana atronivea</i> (Walker) - Geometridae (LEPIDOPTERA)	North Island lichen moth
<i>Declana egregia</i> (Felder) - Geometridae (LEPIDOPTERA)	South Island lichen moth
<i>Declana floccosa</i> Walker - Geometridae (LEPIDOPTERA)	forest semilooper
<i>Deinacrida connectens</i> (Ander) - Stenopelmidae (ORTHOPTERA)	alpine weta
<i>Deinacrida fallai</i> Salmon - Stenopelmidae (ORTHOPTERA)	Poor Knights weta
<i>Deinacrida heteracantha</i> White - Stenopelmidae (ORTHOPTERA)	wetapunga
<i>Deinacrida rugosa</i> Buller - Stenopelmidae (ORTHOPTERA)	Stephen's Island weta
<i>Deleatidium myzobranchium</i> Phillips - Leptophlebiidae (EPHEMEROPTERA)	suckergilled mayfly
<i>Delia platura</i> (Meigen) - Anthomyiidae (DIPTERA)	onion fly
<i>Demodex bovis</i> Stiles - Demodicidae (ACARI)	cattle follicle mite
<i>Demodex brevis</i> Akbulatova - Demodicidae (ACARI)	human follicle mite
<i>Demodex canis</i> Leydig - Demodicidae (ACARI)	dog follicle mite
<i>Demodex equi</i> Railliet - Demodicidae (ACARI)	horse follicle mite
<i>Demodex folliculorum</i> (Simon) - Demodicidae (ACARI)	human follicle mite
<i>Demodex ovis</i> Railliet - Demodicidae (ACARI)	sheep follicle mite
<i>Demodex phylloides</i> Csokor - Demodicidae (ACARI)	pig follicle mite
<i>Dendroblax earlii</i> White - Lucanidae (COLEOPTERA)	Earl's stag beetle
<i>Dermanyssus gallinae</i> (de Geer) - Dermanyssidae (ACARI)	chicken mite
<i>Dermatophagoides farinae</i> Hughes - Pyroglyphidae (ACARI)	American housedust mite
<i>Dermatophagoides pteronyssinus</i> (Trouessart) - Pyroglyphidae (ACARI)	European housedust mite
<i>Dermestes lardarius</i> L. - Dermestidae (COLEOPTERA)	larder beetle
<i>Dermestes maculatus</i> de Geer - Dermestidae (COLEOPTERA)	hide beetle
<i>Desiantha diversipes lineata</i> Pascoe - Curculionidae (COLEOPTERA)	Victoria weevil
<i>Desiantha variabilis</i> (Broun) - Curculionidae (COLEOPTERA)	cotula weevil
<i>Desis marina</i> (Hector) - Desidae (ARANEAE)	marine spider

SCIENTIFIC NAME	COMMON NAME
<i>Diaspis boisduvali</i> Signoret - Diaspididae (HEMIPTERA)	Boisduval's scale
<i>Dictyotus caenosus</i> (Westwood) - Pentatomidae (HEMIPTERA)	brown shield bug
<i>Dilophus nigrostigma</i> (Walker) - Bibionidae (DIPTERA)	bicoloured swamp fly
<i>Diplason laetatorius</i> (F.) - Ichneumonidae (HYMENOPTERA)	hover fly parasite
<i>Diplocephalus cristatus</i> (Blackwell) - Linyphiidae (ARANEAE)	common money spider
<i>Diplotox neosealandica</i> Harrison - Chloropidae (DIPTERA)	tall tussock seed fly
<i>Ditylenchus dipsaci</i> (Kühn) - Tylenchidae (NEMATODA)	stem and bulb nematode
<i>Dodonidia helmsi</i> (Fereday) - Nymphalidae (LEPIDOPTERA)	forest ringlet
<i>Dolomedes aquaticus</i> (Goyen) - Pisauridae (ARANEAE)	water spider
<i>Dolomedes minor</i> (Koch) - Pisauridae (ARANEAE)	nurseryweb spider
<i>Dorcus helmsi</i> (Sharp) - Lucanidae (COLEOPTERA)	Helms' stag beetle
<i>Drepanosiphum platanoidis</i> (Schrank) - Aphididae (HEMIPTERA)	sycamore aphid
<i>Drymaplaneta semivitta</i> (Walker) - Blattidae (BLATTODEA)	Gisborne cockroach
<i>Dryocora howitti</i> Pascoe - Prostomidae (COLEOPTERA)	Howitt's flat beetle
<i>Dryomyia shawiae</i> Anderson - Cecidomyiidae (DIPTERA)	akeake blister gall midge
<i>Dysaphis apiifolia</i> (Theobald) - Aphididae (HEMIPTERA)	rusty banded aphid
<i>Dysaphis foeniculus</i> (Theobald) - Aphididae (HEMIPTERA)	fennel aphid
<i>Dysaphis tulipae</i> (Boyer de Fonscolombe) - Aphididae (HEMIPTERA)	tulip bulb aphid
<i>Dysdera crocata</i> (Koch) - Dysderidae (ARANEAE)	sixeyed garden spider
<i>Echthromorpha intricatoria</i> (F.) - Ichneumonidae (HYMENOPTERA)	whitespotted ichneumonid
<i>Elatobium abietinum</i> (Walker) - Aphididae (HEMIPTERA)	spruce aphid
<i>Empicoris rubromaculatus</i> (Blackburn) - Reduviidae (HEMIPTERA)	thread bug
<i>Endrosis sarcitrella</i> (L.) - Oecophoridae (LEPIDOPTERA)	whiteshouldered house moth
<i>Enochrus tritus</i> (Broun) - Hydrophilidae (COLEOPTERA)	scavenging water beetle
<i>Entomobrya nivalis</i> (L.) - Entomobryidae (COLLEMBOLA)	cosmopolitan springtail
<i>Eotetranychus seamaulatus</i> (Riley) - Tetranychidae (ACARI)	sixspotted mite
<i>Ephestia cautella</i> (Walker) - refer	<i>Cadra cautella</i> (Walker)
<i>Ephestia elutella</i> (Hübner) - Pyralidae (LEPIDOPTERA)	tobacco moth
<i>Ephestia kuehniella</i> Zeller - Pyralidae (LEPIDOPTERA)	Mediterranean flour moth
<i>Ephydrella aquaria</i> (Hutton) - Ephydriidae (DIPTERA)	grey shore fly
<i>Epichorista emphanes</i> Meyrick - Tortricidae (LEPIDOPTERA)	beech leafroller
<i>Epiphryne verriaculata</i> (Felder) - Geometridae (LEPIDOPTERA)	cabbage tree moth
<i>Epiphyas postvittana</i> (Walker) - Tortricidae (LEPIDOPTERA)	lightbrown apple moth
<i>Episinus</i> spp. - Theridiidae (ARANEAE)	squareended cobweb spiders
<i>Erebiola butleri</i> Fereday - Nymphalidae (LEPIDOPTERA)	Butler's mountain ringlet
<i>Eriococcus araucariae</i> Maskell - Eriococcidae (HEMIPTERA)	felted pine scale
<i>Eriococcus coriaceus</i> Maskell - Eriococcidae (HEMIPTERA)	gum tree scale
<i>Eriococcus leptospermi</i> Maskell - Eriococcidae (HEMIPTERA)	felted manuka scale
<i>Eriococcus orariensis</i> Hoy - Eriococcidae (HEMIPTERA)	manuka blight scale
<i>Eriophyes pyri</i> (Pagenstecher) - Eriophyidae (ACARI)	pear leaf blister mite
<i>Eriophyes vitis</i> (Pagenstecher) - Eriophyidae (ACARI)	grape bud mite
<i>Eriosoma lanigerum</i> (Hausmann) - Pemphigidae (HEMIPTERA)	woolly apple aphid
<i>Eriosoma lanuginosum</i> (Hartig) - Pemphigidae (HEMIPTERA)	pear root aphid

SCIENTIFIC NAME	COMMON NAME
<i>Eristalis tenax</i> (L.) - Syrphidae (DIPTERA)	drone fly
<i>Ernobius mollis</i> (L.) - Anobiidae (COLEOPTERA)	pine knot borer
<i>Euceraaphis punctipennis</i> (Zetterstedt) - Aphididae (HEMIPTERA)	European birch aphid
<i>Euclodes suturalis</i> Pascoe - Anthribidae (COLEOPTERA)	grass stem anthribid
<i>Eucolaspis brunnea</i> (F.) - Chrysomelidae (COLEOPTERA)	bronze beetle
<i>Eudonia sabulosella</i> (Walker) - Pyralidae (LEPIDOPTERA)	sod webworm
<i>Eulachmus brevipilosus</i> Börner - Aphididae (HEMIPTERA)	pine aphid
<i>Eulalia</i> spp. - Stratiomyidae (DIPTERA)	green soldier flies
<i>Eumerus strigatus</i> (Fallén) - Syrphidae (DIPTERA)	onion bulb fly
<i>Eurystylus australis</i> Poppius - Miridae (HEMIPTERA)	Australian crop mirid
<i>Eurytoma acaciae</i> Cameron - Eurytomidae (HYMENOPTERA)	acacia seed chalcid
<i>Eutorna phaulacoma</i> Meyrick - Oecophoridae (LEPIDOPTERA)	blackberry bud moth
<i>Fannia canicularis</i> (L.) - Muscidae (DIPTERA)	lesser house fly
<i>Felicola subrostratus</i> (Burmeister) - Trichodectidae (PHTHIRAPTERA)	cat biting louse
<i>Floresianus sordidus</i> Hustache - Curculionidae (COLEOPTERA)	Flores weevil
<i>Forficula auricularia</i> L. - Forficulidae (DERMAPTERA)	European earwig
<i>Frankliniella intonsa</i> (Trybom) - Thripidae (THYSANOPTERA)	flower thrips
<i>Galleria mellonella</i> (L.) - Galleriidae (LEPIDOPTERA)	greater wax moth
<i>Gascardia destructor</i> (Newstead) - Coccidae (HEMIPTERA)	soft wax scale
<i>Gasterophilus intestinalis</i> (de Geer) - Gasterophilidae (DIPTERA)	horse bot fly
<i>Gasterophilus nasalis</i> (L.) - Gasterophilidae (DIPTERA)	throat bot fly
<i>Glaucias amyoti</i> (White) - Pentatomidae (HEMIPTERA)	New Zealand vegetable bug
<i>Globodera pallida</i> (Stone) - Heteroderidae (NEMATODA)	potato cyst nematode
<i>Globodera rostochiensis</i> (Wollenweber) - Heteroderidae (NEMATODA)	potato cyst nematode
<i>Glycyphagus domesticus</i> (de Geer) - Glycyphagidae (ACARI)	grocers' itch mite
<i>Glyphipteryx achyloessa</i> Meyrick - Glyphipterygidae (LEPIDOPTERA)	cocksfoot stem borer
<i>Gnathocerus cornutus</i> (F.) - Tenebrionidae (COLEOPTERA)	broadhorned flour beetle
<i>Gohieria fusca</i> (Oudemans) - Glycyphagidae (ACARI)	brown flour mite
<i>Goniocotes gallinae</i> (de Geer) - Philopteridae (PHTHIRAPTERA)	poultry fluff louse
<i>Goniodes dissimilis</i> Denny - Philopteridae (PHTHIRAPTERA)	brown poultry louse
<i>Goniodes gigas</i> (Taschenberg) - Philopteridae (PHTHIRAPTERA)	large poultry louse
<i>Gonipterus scutellatus</i> (Gyllenhal) - Curculionidae (COLEOPTERA)	gum tree weevil
<i>Gracillaria seleniti</i> Meyrick - Gracillariidae (LEPIDOPTERA)	silver beech leafminer
<i>Gradungula sorenseni</i> Forster - Gradungulidae (ARANEAE)	Sorensen's spider
<i>Graphognathus leucoloma</i> (Boheman) - Curculionidae (COLEOPTERA)	whitefringed weevil
<i>Grapholitha molesta</i> (Busck) - Tortricidae (LEPIDOPTERA)	oriental fruit moth

SCIENTIFIC NAME	COMMON NAME
<i>Hadrobregmus magnus</i> (Dumbleton) - Anobiidae (COLEOPTERA)	large borer (uhu)
<i>Haemaphysalis longicornis</i> Neumann - Ixodidae (ACARI)	New Zealand cattle tick
<i>Haematopinus asini</i> (L.) - Haematopinidae (PHTHIRAPTERA)	horse sucking louse
<i>Haematopinus eurysternus</i> (Nitzsch) - Haematopinidae (PHTHIRAPTERA)	shortnosed cattle louse
<i>Haematopinus suis</i> (L.) - Haematopinidae (PHTHIRAPTERA)	pig louse
<i>Halotydeus destructor</i> (Tucker) - Eupodidae (ACARI)	redlegged earth mite
<i>Haplothrips niger</i> (Osborn) - Phlaeothripidae (THYSANOPTERA)	redclover thrips
<i>Helicopsyche</i> spp. - Helicopsychidae (TRICHOPTERA)	spiral caddises
<i>Helicoverpa armigera conferta</i> (Walker) - Noctuidae (LEPIDOPTERA)	tomato fruitworm
<i>Heliothrips atychioides</i> (Butler) - Glyptothripidae (LEPIDOPTERA)	gregarious tineid
<i>Heliothrips haemorrhoidalis</i> (Bouché) - Thripidae (THYSANOPTERA)	greenhouse thrips
<i>Helix aspersa</i> Müller - Helicidae (STYLOMMATOPHORA)	brown garden snail
<i>Helleia feredayi</i> (Bates) - Lycaenidae (LEPIDOPTERA)	glade copper
<i>Helleia salustius</i> (F.) - Lycaenidae (LEPIDOPTERA)	common copper
<i>Heliothis armigera</i> (Hübner) - refer	<i>Helicoverpa armigera conferta</i> (Walker)
<i>Helophilus hochstetteri</i> Nowicki - Syrphidae (DIPTERA)	metallic blue hover fly (ngarotamumu)
<i>Hemidrus</i> spp. - Stenopelmatidae (ORTHOPTERA)	ground wetas
<i>Hemiberlesia rapax</i> (Comstock) - Diaspididae (HEMIPTERA)	greedy scale
<i>Hemicloea rogenhofferi</i> Koch - Gnaphosidae (ARANEAE)	flattened bark spider
<i>Hemideina</i> spp. - Stenopelmatidae (ORTHOPTERA)	bush wetas
<i>Hemideina broughi</i> Buller - Stenopelmatidae (ORTHOPTERA)	West Coast bush weta
<i>Hemideina maori</i> Pictet & Saussure - Stenopelmatidae (ORTHOPTERA)	mountain stone weta
<i>Hemideina thoracica</i> White - Stenopelmatidae (ORTHOPTERA)	tokoriro weta
<i>Hercinothrips bicinctus</i> (Bagnall) - Thripidae (THYSANOPTERA)	banana silvering thrips
<i>Heterodera avenae</i> Wollenweber - Heteroderidae (NEMATODA)	cereal cyst nematode
<i>Heterodera humuli</i> Filipjev - Heteroderidae (NEMATODA)	hop cyst nematode
<i>Heterodera pallida</i> Stone - refer	<i>Globodera pallida</i> (Stone)
<i>Heterodera rostochiensis</i> Wollenweber - refer	<i>Globodera rostochiensis</i> (Wollenweber)
<i>Heterodera trifolii</i> Goffart - Heteroderidae (NEMATODA)	clover cyst nematode
<i>Heteronychus arator</i> (F.) - Scarabaeidae (COLEOPTERA)	black beetle
<i>Heteropoda venatoria</i> (L.) - Sparassidae (ARANEAE)	banana spider
<i>Hexathele</i> spp. - Dipluridae (ARANEAE)	banded tunnel web spiders
<i>Hexatricha pulverulenta</i> (Westwood) - Cerambycidae (COLEOPTERA)	squeaking longhorn
<i>Hofmannophila pseudospretella</i> (Stainton) - Oecophoridae (LEPIDOPTERA)	brown house moth
<i>Holoplatys</i> spp. - Salticidae (ARANEAE)	chink jumping spiders
<i>Holotrochus</i> spp. - Staphylinidae (COLEOPTERA)	cylindrical rove beetles
<i>Horouta inconstans</i> Knight - Cicadellidae (HEMIPTERA)	banded grass leafhopper
<i>Huberia striata</i> (Smith) - Formicidae (HYMENOPTERA)	striated ant
<i>Hudsona anceps</i> (White) - Lygaeidae (HEMIPTERA)	Hudson's bug
<i>Hyadaphis foeniculi</i> (Passerini) - Aphididae (HEMIPTERA)	honeysuckle aphid
<i>Hybopygia varia</i> (Walker) - Sarcophagidae (DIPTERA)	striped dung fly
<i>Hydrellia tritici</i> Coquillett - Ephydriidae (DIPTERA)	black pasture fly
<i>Hydrobiosis parumbripennis</i> McFarlane - Rhyacophilidae (TRICHOPTERA)	green freeliving caddis
<i>Hydrometra risbeci</i> Hungerford - Hydrometridae (HEMIPTERA)	water measurer

SCIENTIFIC NAME	COMMON NAME
<i>Hylaeus</i> spp. - Colletidae (HYMENOPTERA)	yellowfaced bees
<i>Hylastes ater</i> (Paykull) - Scolytidae (COLEOPTERA)	black pine bark beetle
<i>Hylurgus ligniperda</i> (F.) - Scolytidae (COLEOPTERA)	goldenhaired bark beetle
<i>Hyperodes bonariensis</i> Kuschel - Curculionidae (COLEOPTERA)	Argentine stem weevil
<i>Hyperomyzus lactucae</i> (L.) - Aphididae (HEMIPTERA)	sowthistle aphid
<i>Hypogastrura rossi</i> (Salmon) - Poduridae (COLLEMBOLA)	black pasture springtail
<i>Hypolimnas bolina nerina</i> (F.) - Nymphalidae (LEPIDOPTERA)	blue moon
<i>Hyptiogaster</i> spp. - Gasteruptionidae (HYMENOPTERA)	burrowing bee parasites
<i>Icerya purchasi</i> Maskell - Margarodidae (HEMIPTERA)	cottony cushion scale
<i>Ichthyobius hudsoni</i> McLachlan - Ephemeridae (EPHEMEROPTERA)	burrowing mayfly
<i>Idiopterus nephrolepidis</i> Davis - Aphididae (HEMIPTERA)	fern aphid
<i>Inopus rubriceps</i> (Macquart) - Stratiomyidae (DIPTERA)	Australian soldier fly
<i>Irenimus compressus</i> (Broun) - Curculionidae (COLEOPTERA)	compressed weevil
<i>Ischnura aurora aurora</i> (Brauer) - Coenagrionidae (ODONATA)	Australian damselfly
<i>Isoneurothrips australis</i> Bagnall - Thripidae (THYSANOPTERA)	eucalyptus thrips
<i>Isopeda insignis</i> (Thorell) - Sparassidae (ARANEAE)	Avondale spider
<i>Ixauticus martius</i> (Simon) - Desidae (ARANEAE)	black house spider
<i>Ixodes uriae</i> White - Ixodidae (ACARI)	common seabird tick
<i>Kaloterms browni</i> Froggatt - Kalotermitidae (Isoptera)	New Zealand drywood termite
<i>Kikihia angusta</i> (Walker) - Cicadidae (HEMIPTERA)	tussock cicada
<i>Kikihia muta</i> (F.) - Cicadidae (HEMIPTERA)	variable cicada (kikihihi kai)
<i>Knemidokoptes mutans</i> (Robin & Lanquetin) - Knemidokoptidae (ACARI)	scalyleg mite
<i>Knemidokoptes pilae</i> (Laviopierre & Griffiths) - Knemidokoptidae (ACARI)	scalyface mite
<i>Lacon variabilis</i> (Candeze) - refer	<i>Agrypnus variabilis</i> (Candeze)
<i>Laemostenus complanatus</i> (Dejean) - Carabidae (COLEOPTERA)	cosmopolitan ground beetle
<i>Lagrioida browni</i> Pascoe - Anthicidae (COLEOPTERA)	Broun's sand beetle
<i>Lampides boeticus</i> (L.) - Lycaenidae (LEPIDOPTERA)	longtailed blue
<i>Lampona cylindrata</i> Koch - Gnaphosidae (ARANEAE)	whitetailed spider
<i>Lasioderma serricorne</i> (F.) - Anobiidae (COLEOPTERA)	tobacco beetle
<i>Lasioglossum</i> spp. - Halictidae (HYMENOPTERA)	New Zealand halictid bees
<i>Lasiornychus barbicornis</i> (F.) - Brentidae (COLEOPTERA)	giraffe weevil (tuwhaipapa)
<i>Laspeyresia pomonella</i> (L.) - Tortricidae (LEPIDOPTERA)	codling moth
<i>Lathridius minutus</i> (L.) - Lathridiidae (COLEOPTERA)	squarenosed fungus beetle
<i>Latrelectus atritus</i> Urquhart - Theridiidae (ARANEAE)	black katipo
<i>Latrelectus katipo</i> (Powell) - Theridiidae (ARANEAE)	katipo
<i>Lecanium corni</i> Bouché - Coccidae (HEMIPTERA)	European fruit scale

SCIENTIFIC NAME	COMMON NAME
<i>Lecanium persicae</i> (F.) - Coccidae (HEMIPTERA)	European peach scale
<i>Leioproctus</i> spp. - Colletidae (HYMENOPTERA)	hairy colletid bees
<i>Leis conformis</i> (Boisduval) - Coccinellidae (COLEOPTERA)	large spotted ladybird
<i>Lepidoglyphus destructor</i> (Schrank) - Glycyphagidae (ACARI)	grocers' itch mite
<i>Lepidosaphes eucalypti</i> (Froggatt) - Diaspididae (HEMIPTERA)	eucalyptus mussel scale
<i>Lepidosaphes ulmi</i> (L.) - Diaspididae (HEMIPTERA)	apple mussel scale
<i>Lepisma saccharina</i> L. - Lepismatidae (THYSANURA)	silverfish
<i>Leptocera</i> spp. - Sphaeroceridae (DIPTERA)	little dung flies
<i>Leptopsylla segnis</i> (Schoenherr) - Leptopsyllidae (SIPHONAPTERA)	mouse flea
<i>Leucania separata</i> (Walker) - Noctuidae (LEPIDOPTERA)	cosmopolitan armyworm
<i>Leucaspis podocarpi</i> Green - Diaspididae (HEMIPTERA)	white totara scale
<i>Limax flavus</i> L. - Limacidae (STYLOMMATOPHORA)	tawny garden slug
<i>Limax maximus</i> L. - Limacidae (STYLOMMATOPHORA)	spotted garden slug
<i>Limothrips cerealium</i> (Haliday) - Thripidae (THYSANOPTERA)	cereal thrips
<i>Lindingaspis rossi</i> (Maskell) - Diaspididae (HEMIPTERA)	Ross' black scale
<i>Linognathus ovillus</i> (Neumann) - Linognathidae (PHTHIRAPTERA)	sheep face louse
<i>Linognathus pedalis</i> (Osborn) - Linognathidae (PHTHIRAPTERA)	sheep foot louse
<i>Linognathus setosus</i> (von Olfers) - Linognathidae (PHTHIRAPTERA)	dog sucking louse
<i>Linognathus stenopsis</i> (Burmeister) - Linognathidae (PHTHIRAPTERA)	goat sucking louse
<i>Linognathus vituli</i> (L.) - Linognathidae (PHTHIRAPTERA)	longnosed cattle louse
<i>Liochoria huttoni</i> Pascoe - Byrrhidae (COLEOPTERA)	Hutton's moss beetle
<i>Liosomaphis berberidis</i> (Kaltenbach) - Aphididae (HEMIPTERA)	barberry aphid
<i>Liothrips vaneeklei</i> Priesner - Phlaeothripidae (THYSANOPTERA)	lily thrips
<i>Liothula omnivorus</i> (Fereday) - Psychidae (LEPIDOPTERA)	bag moth (kopi)
<i>Lipaphis erysimi</i> (Kaltenbach) - Aphididae (HEMIPTERA)	false cabbage aphid
<i>Lipeurus caponis</i> (L.) - Philopteridae (PHTHIRAPTERA)	poultry wing louse
<i>Liposcelis divinatorius</i> (Müller) - Liposcelidae (PSOCOPTERA)	booklouse
<i>Liriomyza chenopodii</i> (Watt) - Agromyzidae (DIPTERA)	beet leafminer
<i>Liriomyza clianthi</i> (Watt) - Agromyzidae (DIPTERA)	kaka beak leafminer
<i>Lissotes reticulatus</i> (Westwood) - Lucanidae (COLEOPTERA)	reticulate stag beetle
<i>Listroderes delaiquei</i> Germain - Curculionidae (COLEOPTERA)	subterranean clover weevil
<i>Listroderes costirostris</i> Schönherr - Curculionidae (COLEOPTERA)	vegetable weevil
<i>Lithocolletis messaniella</i> Zeller - Gracillariidae (LEPIDOPTERA)	oak leafminer
<i>Locusta migratoria</i> L. - Acrididae (ORTHOPTERA)	migratory locust (kapakapa)
<i>Lonchoptera dubia</i> Curran - Lonchopteridae (DIPTERA)	spearwinged fly
<i>Lucilia sericata</i> (Meigen) - Calliphoridae (DIPTERA)	green blow fly
<i>Lycaena boldenarum</i> (White) - Lycaenidae (LEPIDOPTERA)	boulder copper
<i>Lycaena feredayi</i> (Bates) - refer	<i>Helleia feredayi</i> (Bates)
<i>Lycaena salustius</i> (F.) - refer	<i>Helleia salustius</i> (F.)
<i>Lycosa</i> spp. - Lycosidae (ARANEAE)	sand wolf spiders
<i>Lycosa hilaris</i> Koch - Lycosidae (ARANEAE)	garden wolf spider
<i>Lyctus brunneus</i> (Stephens) - Lyctidae (COLEOPTERA)	powder post beetle
<i>Lyperobius huttoni</i> Pascoe - Curculionidae (COLEOPTERA)	speargrass weevil

SCIENTIFIC NAME	COMMON NAME
<i>Macrorhynocolus littoralis</i> (Broun) - Curculionidae (COLEOPTERA)	small driftwood weevil
<i>Macrosiphoniella sanborni</i> (Gillette) - Aphididae (HEMIPTERA)	brown chrysanthemum aphid
<i>Macrosiphum euphorbiae</i> (Thomas) - Aphididae (HEMIPTERA)	potato aphid
<i>Macrosiphum miscanthi</i> Takahashi - refer	<i>Sitobion miscanthi</i> (Takahashi)
<i>Macrosiphum rosae</i> (L.) - Aphididae (HEMIPTERA)	rose aphid
<i>Madarococcus totarae</i> (Maskell) - Eriococcidae (HEMIPTERA)	green totara scale
<i>Maleuterpes spinipes</i> Blackburn - Curculionidae (COLEOPTERA)	dicky rice weevil
<i>Maoricicada campbelli</i> (Myers) - Cicadidae (HEMIPTERA)	Campbell's cicada
<i>Maoricicada hamiltoni</i> (Myers) - Cicadidae (HEMIPTERA)	Hamilton's cicada
<i>Maoricicada lindsayi</i> (Myers) - Cicadidae (HEMIPTERA)	Lindsay's cicada
<i>Maorimyia bipunctata</i> (Hutton) - Helcomyzidae (DIPTERA)	kelp fly
<i>Mayetiola destructor</i> (Say) - Cecidomyiidae (DIPTERA)	hessian fly
<i>Megachile pacifica</i> (Panzer) - Megachilidae (HYMENOPTERA)	lucerne leafcutter bee
<i>Megadromus antarcticus</i> (Chaudoir) - Carabidae (COLEOPTERA)	metallic green ground beetle
<i>Megalopsalis</i> spp. - Phalangidae (OPILIONES)	longlegged harvestmen
<i>Megaselia impariseta</i> Bridarolli - Phoridae (DIPTERA)	common humpbacked fly
<i>Megaselia rufipes</i> (Meigen) - Phoridae (DIPTERA)	coffin fly
<i>Megastigmus aculeatus</i> (Swederus) - Torymidae (HYMENOPTERA)	rose hip chalcid
<i>Megastigmus spermotrophus</i> Wachtl - Torymidae (HYMENOPTERA)	fir seed chalcid
<i>Melangyna novaezealandiae</i> (Macquart) - Syrphidae (DIPTERA)	large hover fly
<i>Melanostoma fasciatum</i> (Macquart) - Syrphidae (DIPTERA)	small hover fly
<i>Meloidogyne hapla</i> (Chitwood) - Heteroderidae (NEMATODA)	field root knot nematode
<i>Meloidogyne incognita</i> (Kofoid & White) - Heteroderidae (NEMATODA)	glasshouse root knot nematode
<i>Melophagus ovinus</i> (L.) - Hippoboscidae (DIPTERA)	sheep ked
<i>Menacanthus stramineus</i> (Nitzsch) - Menoponidae (PHTHIRAPTERA)	poultry body louse
<i>Menopon gallinae</i> (L.) - Menoponidae (PHTHIRAPTERA)	poultry shaft louse
<i>Merodon equestris</i> (F.) - Syrphidae (DIPTERA)	narcissus bulb fly
<i>Metabla acutipennis</i> (White) - Elateridae (COLEOPTERA)	acutewing click beetle
<i>Metaerias</i> spp. - Arctiidae (LEPIDOPTERA)	mountain tiger moths
<i>Metioche maoricum</i> (Walker) - Gryllidae (ORTHOPTERA)	mute cricket
<i>Metriorhynchus rufipennis</i> (F.) - Lycidae (COLEOPTERA)	redwinged lycid beetle
<i>Mezium affine</i> Boieldieu - Ptinidae (COLEOPTERA)	shiny spider beetle
<i>Microcephalothrips abdominalis</i> (Crawford) - Thripidae (THYSANOPTERA)	composite thrips
<i>Microlophium primulae</i> (Theobald) - Aphididae (HEMIPTERA)	primula aphid
<i>Micromus tasmaniae</i> (Walker) - Hemerobiidae (NEUROPTERA)	Tasmanian lacewing
<i>Microvelia macgregori</i> (Kirkaldy) - Veliidae (HEMIPTERA)	common pond skater
<i>Migas</i> spp. - Migidae (ARANEAE)	tree trapdoor spiders
<i>Mimetes</i> spp. - Mimetidae (ARANEAE)	squareended pirate spiders
<i>Mimopeus</i> spp. - Tenebrionidae (COLEOPTERA)	false wireworms
<i>Mitrastethus baridioides</i> Redtenbacher - Curculionidae (COLEOPTERA)	longnosed kauri weevil
<i>Miturga</i> spp. - Clubionidae (ARANEAE)	large brown vagrant spiders
<i>Monomorium antipodum</i> (Forel) - Formicidae (HYMENOPTERA)	tiny brown ant
<i>Monomorium orientale</i> (Mayr) - Formicidae (HYMENOPTERA)	oriental ant
<i>Monomorium pharaonis</i> (L.) - Formicidae (HYMENOPTERA)	Pharaoh's ant
<i>Mordella antarctica</i> White - Mordellidae (COLEOPTERA)	large pintail beetle
<i>Musca domestica</i> L. - Muscidae (DIPTERA)	house fly

SCIENTIFIC NAME	COMMON NAME
<i>Muscina stabulans</i> (Fallen) - Muscidae (DIPTERA)	false stable fly
<i>Myro marinus</i> (Goyen) - Desidae (ARANEAE)	seashore spider
<i>Mystacinobia zelandica</i> Holloway - Mystacinobiidae (DIPTERA)	New Zealand bat fly
<i>Myzocallis castanicola</i> Baker - Aphididae (HEMIPTERA)	sweet chestnut aphid
<i>Myzocallis coryli</i> (Goeze) - Aphididae (HEMIPTERA)	hazel aphid
<i>Myzus ascalonicus</i> Doncaster - Aphididae (HEMIPTERA)	shallot aphid
<i>Myzus cerasi</i> (F.) - Aphididae (HEMIPTERA)	black cherry aphid
<i>Myzus ornatus</i> Laing - Aphididae (HEMIPTERA)	ornate aphid
<i>Myzus persicae</i> (Sulzer) - Aphididae (HEMIPTERA)	green peach aphid
<i>Nabis capsiformis</i> Germar - Nabidae (HEMIPTERA)	pale damsel bug
<i>Nabis maoricus</i> Walker - Nabidae (HEMIPTERA)	tussock damsel bug
<i>Nacerdes melanura</i> (L.) - Oedemeridae (COLEOPTERA)	wharf borer
<i>Nascioides enysi</i> (Sharp) - Buprestidae (COLEOPTERA)	beech buprestid
<i>Nasonovia lactucae</i> (L.) - refer	<i>Hyperomyzus lactucae</i> (L.)
<i>Navomorpha</i> spp. - Cerambycidae (COLEOPTERA)	striped longhorns
<i>Necrobia ruficollis</i> (F.) - Cleridae (COLEOPTERA)	redshouldered ham beetle
<i>Necrobia rufipes</i> (de Geer) - Cleridae (COLEOPTERA)	redlegged ham beetle
<i>Necrophilus prolongatus</i> Sharp - Silphidae (COLEOPTERA)	carriion beetle
<i>Nemobius bivittatus</i> Walker - Gryllidae (ORTHOPTERA)	small field cricket
<i>Neocicindela</i> spp. - Cicindelidae (COLEOPTERA)	tiger beetles (hapuku)
<i>Neocnemidocoptes gallinae</i> (Railliet) - Knemidokoptidae (ACARI)	depluming mite
<i>Neoexaireta spinigera</i> (Wiedemann) - Stratiomyidae (DIPTERA)	garden soldier fly
<i>Neophyllaphis totarae</i> Cottier - Aphididae (HEMIPTERA)	totara aphid
<i>Neotoxoptera oliveri</i> (Essig) - Aphididae (HEMIPTERA)	marigold aphid
<i>Nesameletus ornatus</i> (Eaton) - Siphonuridae (EPHEMEROPTERA)	small swimming mayfly
<i>Nezara viridula</i> (L.) - Pentatomidae (HEMIPTERA)	green vegetable bug
<i>Nipaecoccus aurilanatus</i> (Maskell) - Pseudococcidae (HEMIPTERA)	golden mealy bug
<i>Nomia melanderi</i> Cockerell - Halictidae (HYMENOPTERA)	alkali bee
<i>Nosopsyllus fasciatus</i> (Bosc) - Ceratophyllidae (SIPHONAPTERA)	European rat flea
<i>Notagonum submetallicum</i> (White) - Carabidae (COLEOPTERA)	submetallic ground beetle
<i>Notiopsylla kerguelensis</i> (Taschenberg) - Pygiopsyllidae (SIPHONAPTERA)	Kerguelan bird flea
<i>Notoedres cati</i> (Hering) - Sarcoptidae (ACARI)	cat mange mite
<i>Notoedres muris</i> (Megnin) - Sarcoptidae (ACARI)	rat ear itch mite
<i>Nuncia</i> spp. - Triaenonychidae (OPILIONES)	smooth hard bodied harvestmen
<i>Nyctemera annulata</i> Boisduval - Arctiidae (LEPIDOPTERA)	magpie moth (mokarakara)
<i>Nymphula nitens</i> (Butler) - Pyralidae (LEPIDOPTERA)	pond moth
<i>Nysius huttoni</i> White - Lygaeidae (HEMIPTERA)	wheat bug
<i>Nysius</i> spp. - Lygaeidae (HEMIPTERA)	seed bugs
<i>Nyxetes bidens</i> (F.) - Curculionidae (COLEOPTERA)	twospined weevil

SCIENTIFIC NAME	COMMON NAME
<i>Ochrocydus huttoni</i> Pascoe - Cerambycidae (COLEOPTERA)	kanuka longhorn
<i>Odontria marmorata</i> Broun - Scarabaeidae (COLEOPTERA)	marbled chafer
<i>Odontria smithii</i> Broun - Scarabaeidae (COLEOPTERA)	Smith's chafer
<i>Odontria striata</i> White - Scarabaeidae (COLEOPTERA)	striped chafer
<i>Odontria xanthosticta</i> White - Scarabaeidae (COLEOPTERA)	yellowspotted chafer
<i>Oechalia shellenbergii</i> (Guérin-Méneville) - Pentatomidae (HEMIPTERA)	Schellenberg's soldier bug
<i>Oemona hirta</i> (F.) - Cerambycidae (COLEOPTERA)	lemon tree borer
<i>Oestrus ovis</i> L. - Oestridae (DIPTERA)	sheep nasal bot fly
<i>Oiketicus omnivorus</i> Fereday - refer	<i>Liothula omnivorus</i> (Fereday)
<i>Oliarus atkinsoni</i> Myers - Cixiidae (HEMIPTERA)	flax plant hopper
<i>Oligonychus ununguis</i> (Jacobi) - Tetranychidae (ACARI)	spruce mite
<i>Oligothrophus oleariae</i> (Maskell) - Cecidomyiidae (DIPTERA)	olearia gall midge
<i>Olinga feredayi</i> McLachlan - Sericostomatidae (TRICHOPTERA)	hornycased caddis
<i>Oniscigaster distans</i> Eaton - Siphonuridae (EPHEMEROPTERA)	large swimming mayfly
<i>Onthophagus</i> spp. - Scarabaeidae (COLEOPTERA)	Australian dung scarabs
<i>Opifex fuscus</i> Hutton - Culicidae (DIPTERA)	saltpool mosquito
<i>Oreus chalybeus</i> (Boisduval) - Coccinellidae (COLEOPTERA)	steelblue ladybird
<i>Ornithonyssus bacoti</i> (Hirst) - Macronyssidae (ACARI)	tropical rat mite
<i>Ornithonyssus bursa</i> (Berlese) - Macronyssidae (ACARI)	tropical fowl mite
<i>Ornithonyssus sylvianum</i> (Canestrini & Fanzago) - Macronyssidae (ACARI)	northern fowl mite
<i>Orocrambus</i> spp. - Crambidae (LEPIDOPTERA)	grass moths
<i>Orocrambus flexuosellus</i> (Doubleday) - Crambidae (LEPIDOPTERA)	common grass moth
<i>Orthoclydon praefectata</i> Walker - Geometridae (LEPIDOPTERA)	flax looper
<i>Orthodera ministralis</i> (F.) - Mantidae (MANTODEA)	praying mantis (whe)
<i>Oryzaephilus mercator</i> (Fauvel) - Silvanidae (COLEOPTERA)	merchant grain beetle
<i>Oryzaephilus surinamensis</i> (L.) - Silvanidae (COLEOPTERA)	sawthoothed grain beetle
<i>Otiorthynchus ovatus</i> (L.) - Curculionidae (COLEOPTERA)	strawberry root weevil
<i>Otiorthynchus sulcatus</i> (F.) - Curculionidae (COLEOPTERA)	black vine weevil
<i>Otodectes cynotis</i> (Hering) - Psoroptidae (ACARI)	ear mange mite
<i>Ovatus crataegarius</i> (Walker) - Aphididae (HEMIPTERA)	mint aphid
<i>Oxyethira albiceps</i> (McLachlan) - Hydroptilidae (TRICHOPTERA)	flask caddis
<i>Oxyopes gregarius</i> (Urquhart) - Oxyopidae (ARANEAE)	lynx spider
<i>Pales funesta</i> (Hutton) - Tachinidae (DIPTERA)	New Zealand leafroller tachinid
<i>Panonychus citri</i> (McGregor) - Tetranychidae (ACARI)	citrus red mite
<i>Panonychus ulmi</i> (Koch) - Tetranychidae (ACARI)	European red mite
<i>Paracephaleus hudsoni</i> (Myers) - Cicadellidae (HEMIPTERA)	jointedrush hopper
<i>Parasaissetia nigra</i> (Nietner) - Coccidae (HEMIPTERA)	nigra scale
<i>Parectopa alysidota</i> Meyrick - Gracillariidae (LEPIDOPTERA)	wattle miner
<i>Parectopa leucozyma</i> Meyrick - Gracillariidae (LEPIDOPTERA)	kauri leafminer
<i>Parectopa panacivagans</i> Watt - Gracillariidae (LEPIDOPTERA)	lancewood leafminer
<i>Parectopa zorionella</i> Hudson - Gracillariidae (LEPIDOPTERA)	karamu leafminer
<i>Parlatoria pergandii</i> Comstock - Diaspididae (HEMIPTERA)	chaff scale
<i>Parlatoria pittospori</i> Maskell - Diaspididae (HEMIPTERA)	mauve pittosporum scale

SCIENTIFIC NAME	COMMON NAME
<i>Paropsis charybdis</i> Stål - Chrysomelidae (COLEOPTERA)	eucalyptus tortoise beetle
<i>Paroxyethira</i> spp. - Hydroptilidae (TRICHOPTERA)	purse caddises
<i>Parthenothrips dracaenae</i> (Heegar) - Thripidae (THYSANOPTERA)	palm thrips
<i>Pediculus humanus capitis</i> de Geer - Pediculidae (PHTHIRAPTERA)	human head louse
<i>Pediculus humanus humanus</i> L. - Pediculidae (PHTHIRAPTERA)	human body louse
<i>Pemphigus bursarius</i> (L.) - Pemphigidae (HEMIPTERA)	poplar gall aphid
<i>Pentarthrum zealandicum</i> Wollaston - Curculionidae (COLEOPTERA)	large driftwood weevil
<i>Penthaleus major</i> (Dugés) - Eupodidae (ACARI)	winter grain mite
<i>Perenodaimon pluto</i> (Fereday) - Nymphalidae (LEPIDOPTERA)	black mountain ringlet
<i>Pericoptus punctatus</i> (White) - Scarabaeidae (COLEOPTERA)	small sand scarab
<i>Pericoptus truncatus</i> (F.) - Scarabaeidae (COLEOPTERA)	large sand scarab (mumutaua)
<i>Perilitus coccinellae</i> (Schrank) - Braconidae (HYMENOPTERA)	ladybird parasite
<i>Periphyllus californiensis</i> (Shinji) - Aphididae (HEMIPTERA)	California maple aphid
<i>Periplaneta americana</i> (L.) - Blattidae (BLATTODEA)	American cockroach
<i>Periplaneta australasiae</i> (F.) - Blattidae (BLATTODEA)	Australian cockroach
<i>Persectania aversa</i> (Walker) - Noctuidae (LEPIDOPTERA)	southern armyworm
<i>Persectania steropastis</i> (Meyrick) - refer	<i>Tmetolophota steropastis</i> (Meyrick)
<i>Petrobia latens</i> (Müller) - Tetranychidae (ACARI)	brown wheat mite
<i>Phalaenoides glyeine</i> Lewin - Agaristidae (LEPIDOPTERA)	grapevine moth
<i>Phalangium opilio</i> (L.) - Phalangiidae (OPILIONES)	European harvestman
<i>Phanacis hypochoeridis</i> (Kieffer) - Cynipidae (HYMENOPTERA)	catsear gall wasp
<i>Pharmacus montanus</i> Pictet & Saussure - Rhaphidophoridae (ORTHOPTERA)	Mt Cook flea
<i>Phaulacridium marginale</i> (Walker) - Acrididae (ORTHOPTERA)	New Zealand grasshopper
<i>Pheidole megacephala</i> (F.) - Formicidae (HYMENOPTERA)	bigheaded ant
<i>Phenacaspis eugeniae</i> (Maskell) - Diaspididae (HEMIPTERA)	waratah scale
<i>Philaenus spumarius</i> (L.) - Aphrophoridae (HEMIPTERA)	meadow spittlebug
<i>Philanisus plebius</i> Walker - Chathamidae (TRICHOPTERA)	marine caddis
<i>Phloeosinus cupressi</i> Hopkins - Scolytidae (COLEOPTERA)	cypress bark beetle
<i>Phlyctinus callosus</i> Boheman - Curculionidae (COLEOPTERA)	garden weevil
<i>Pholcus phalangioides</i> (Fuesslin) - Pholcidae (ARANEAE)	daddy longlegs spider
<i>Phoracantha semipunctata</i> (F.) - Cerambycidae (COLEOPTERA)	common eucalypt longhorn
<i>Phthirus pubis</i> (L.) - Pediculidae (PHTHIRAPTERA)	crab louse
<i>Phthorimaea operculella</i> (Zeller) - Gelechiidae (LEPIDOPTERA)	potato moth
<i>Phyllaphis fagi</i> (L.) - Aphididae (HEMIPTERA)	copper beech aphid
<i>Phyllocoptruta oleivora</i> (Ashmead) - Eriophyidae (ACARI)	citrus rust mite
<i>Phylloxera vitifoliae</i> (Fitch) - Phylloxeridae (HEMIPTERA)	grape phylloxera
<i>Phytomyza syngenesiae</i> (Hardy) - Agromyzidae (DIPTERA)	ragwort leafminer
<i>Phytoptus avellanae</i> (Nalepa) - Sierraphytoptidae (ACARI)	filbert bud mite
<i>Pieris rapae</i> (L.) - Pieridae (LEPIDOPTERA)	white butterfly
<i>Pineus laevis</i> (Maskell) - Adelgidae (HEMIPTERA)	pine adelgid
<i>Pinaspis aspidistrae</i> (Signoret) - Diaspididae (HEMIPTERA)	fern scale
<i>Piophilha casei</i> (L.) - Piophilidae (DIPTERA)	cheese skipper
<i>Pison spinolae</i> Schuckard - Trypoxylidae (HYMENOPTERA)	mason wasp
<i>Planotortrix excessana</i> (Walker) - Tortricidae (LEPIDOPTERA)	greenheaded leafroller

SCIENTIFIC NAME	COMMON NAME
<i>Planotortrix notophaea</i> (Turner) - Tortricidae (LEPIDOPTERA)	blacklegged leafroller
<i>Platypus</i> spp. - Platypodidae (COLEOPTERA)	pinhole borers
<i>Platyzosteria novaeseelandiae</i> (Brunner von Wattenwyl) - Blattidae (BLATTODEA)	black cockroach (kekerengu)
<i>Pleuraltica cyanea</i> (Broun) - Chrysomelidae (COLEOPTERA)	karamu leaf beetle
<i>Plodia interpunctella</i> (Hübner) - Pyralidae (LEPIDOPTERA)	Indian meal moth
<i>Ploiaria antipoda</i> Bergroth - Reduviidae (HEMIPTERA)	antipodean assassin bug
<i>Plusia chalcites</i> (Esper) - refer	<i>Chrysodeixis eriosema</i> (Doubleday)
<i>Plutella xylostella</i> (L.) - Hyponomeutidae (LEPIDOPTERA)	diamondback moth
<i>Podagritys</i> spp. - Sphecidae (HYMENOPTERA)	policeman wasps
<i>Poecilohetaerella bilineata</i> (Hutton) - Sapromyzidae (DIPTERA)	whitestriped litter fly
<i>Poecilopachys bispinosa</i> (Keyserling) - Araneidae (ARANEAE)	twospined spider
<i>Polistes tasmaniensis humilis</i> Saussure - Vespidae (HYMENOPTERA)	Australian paper wasp
<i>Polyphagotarsonemus latus</i> (Banks) - Tarsonemidae (ACARI)	broad mite
<i>Pontania proxima</i> (Lepeletier) - Tenthredinidae (HYMENOPTERA)	willow gall sawfly
<i>Porrothoele antipodiana</i> (Walckenaer) - Dipluridae (ARANEAE)	black tunnelweb spider
<i>Porribius pacificus</i> Jordan - Ischnopsyllidae (SIPHONAPTERA)	New Zealand bat flea
<i>Prasma</i> spp. - Triaeononychidae (OPILIONES)	hard bodied harvestmen
<i>Pratylenchus</i> spp. - Tylenchidae (NEMATODA)	root lesion nematodes
<i>Prays nephelomima</i> Meyrick - Hyponomeutidae (LEPIDOPTERA)	citrus flower moth
<i>Priocnemis monachus</i> Smith - Pompilidae (HYMENOPTERA)	large black hunting wasp
<i>Priocnemis nitida</i> F. - Pompilidae (HYMENOPTERA)	golden hunting wasp
<i>Prionoplus reticularis</i> White - Cerambycidae (COLEOPTERA)	huhu beetle
<i>Prionophorus brullei</i> Dahlbom - Tenthredinidae (HYMENOPTERA)	raspberry sawfly
<i>Procordulia grayi</i> (Selys) - Corduliidae (ODONATA)	Gray's dragonfly
<i>Procordulia smithii</i> (White) - Corduliidae (ODONATA)	Smith's dragonfly
<i>Prodontria lewisi</i> (Broun) - Scarabaeidae (COLEOPTERA)	Cromwell chafer
<i>Prolasius advena</i> (Smith) - Formicidae (HYMENOPTERA)	small brown bush ant
<i>Protaphorura armata</i> (Tullberg) - Onychiuridae (COLLEMBOLA)	soil springtail
<i>Proteodes carnifex</i> Butler - Oecophoridae (LEPIDOPTERA)	mountain beech moth
<i>Proterodiplosis radialis</i> Wyatt - Cecidomyiidae (DIPTERA)	rata root gall midge
<i>Psephenolax</i> spp. - Curculionidae (COLEOPTERA)	shotgun weevils
<i>Pseudaletia separata</i> (Walker) - refer	<i>Leucania separata</i> (Walker)
<i>Pseudococcus calceolariae</i> (Maskell) - Pseudococcidae (HEMIPTERA)	citrus mealy bug
<i>Pseudococcus longispinus</i> (Targioni-Tozzetti) - Pseudococcidae (HEM.)	longtailed mealy bug
<i>Pseudococcus obscurus</i> Essig - Pseudococcidae (HEMIPTERA)	obscure mealy bug
<i>Psila rosae</i> (F.) - Psilidae (DIPTERA)	carrot rust fly
<i>Psilopa metallica</i> (Hutton) - Ephydriidae (DIPTERA)	metallic black pasture fly
<i>Psorergates ovis</i> Womersley - Myobiidae (ACARI)	sheep itch mite
<i>Psoroptes cuniculi</i> (Delafond) - Psoroptidae (ACARI)	rabbit earcanker mite
<i>Psoroptes equi</i> (Hering) - Psoroptidae (ACARI)	horse scab mite
<i>Psoroptes natalensis</i> (Hirst) - Psoroptidae (ACARI)	cattle scab mite
<i>Psoroptes ovis</i> (Hering) - Psoroptidae (ACARI)	sheep scab mite
<i>Psylla acaciaebaileyanae</i> Froggatt - Psyllidae (HEMIPTERA)	Cootamundra wattle psyllid
<i>Psylla uncatoides</i> (Ferris & Klyver) - Psyllidae (HEMIPTERA)	acacia psyllid

SCIENTIFIC NAME	COMMON NAME
<i>Pteleobius mundulus</i> (Broun) - Scolytidae (COLEOPTERA)	pittosporum bark beetle
<i>Pteronemobius bigelowi</i> Swan - Gryllidae (ORTHOPTERA)	small field cricket
<i>Pteronemobius nigrovus</i> Swan - Gryllidae (ORTHOPTERA)	small field cricket
<i>Ptinus tectus</i> Boieldieu - Ptinidae (COLEOPTERA)	Australian spider beetle
<i>Pulex irritans</i> L. - Pulicidae (SIPHONAPTERA)	human flea
<i>Pulvinaria floccifera</i> (Westwood) - Coccidae (HEMIPTERA)	cottony camellia scale
<i>Pygocentroides aureola</i> (McLachlan) - Sericostomatidae (TRICHOPTERA)	common stonycased caddis
<i>Pyemotes tritici</i> (LaGreze-Fossat & Montagne) - Pyemotidae (ACARI)	straw itch mite
<i>Pygiopsylla hoplia</i> Jordan & Rothschild - Pygiopsyllidae (SIPHONAPTERA)	kiori flea
<i>Pyralis farinalis</i> (L.) - Pyralidae (LEPIDOPTERA)	meal moth
<i>Pyronota edwardsi</i> (Sharp) - Scarabaeidae (COLEOPTERA)	kiriwai manuka chafer
<i>Pyronota festiva</i> (F.) - Scarabaeidae (COLEOPTERA)	kekerewai manuka chafer
<i>Pyronota laeta</i> (F.) - Scarabaeidae (COLEOPTERA)	plain manuka chafer
<i>Quadraspidiotus ostreaeformis</i> (Curtis) - Diaspididae (HEMIPTERA)	oystershell scale
<i>Quadraspidiotus perniciosus</i> (Comstock) - Diaspididae (HEMIPTERA)	San Jose scale
<i>Rhantus pulverosus</i> (Stephens) - Dytiscidae (COLEOPTERA)	cosmopolitan diving beetle
<i>Rhinopeltella eucalypti</i> Gahan - Eulophidae (HYMENOPTERA)	bluegum chalcid
<i>Rhinocyllus conicus</i> (Froehlich) - Curculionidae (COLEOPTERA)	nodding thistle receptacle weevil
<i>Rhizobius ventralis</i> (Erichson) - Coccinellidae (COLEOPTERA)	bluegum scale ladybird
<i>Rhizococcus falcoifer</i> Künckel d'Herculais - Pseudococcidae (HEMIPTERA)	ground mealy bug
<i>Rhizoglyphus</i> spp. - Acaridae (ACARI)	bulb mites
<i>Rhodopsalta cruentata</i> (F.) - Cicadidae (HEMIPTERA)	redtailed cicada
<i>Rhodopsalta leptomera</i> (Myers) - Cicadidae (HEMIPTERA)	sand dune cicada
<i>Rhomphaea</i> spp. - Theridiidae (ARANEAE)	cone spiders
<i>Rhopalomyia chrysanthemi</i> (Ahlberg) - Cecidomyiidae (DIPTERA)	chrysanthemum gall midge
<i>Rhopalosiphum maidis</i> (Fitch) - Aphididae (HEMIPTERA)	corn leaf aphid
<i>Rhopalosiphum nymphaeae</i> (L.) - Aphididae (HEMIPTERA)	waterlily aphid
<i>Rhopalosiphum padi</i> (L.) - Aphididae (HEMIPTERA)	cereal aphid
<i>Rhopalosiphum rufiabdominalis</i> (Sasaki) - Aphididae (HEMIPTERA)	rice root aphid
<i>Rhopalum</i> spp. - Sphecidae (HYMENOPTERA)	policeman wasps
<i>Rhynodes ursus</i> White - Curculionidae (COLEOPTERA)	elephant weevil
<i>Rhypodes clavicornis</i> (F.) - Lygaeidae (HEMIPTERA)	Fabrician lygaeid bug
<i>Rhyssa persuasoria</i> (L.) - Ichneumonidae (HYMENOPTERA)	horntail parasite
<i>Rhytisternus miser</i> (Chaudoir) - Carabidae (COLEOPTERA)	sad ground beetle
<i>Ribautiana tenerima</i> (Herrich-Schäffer) - Cicadellidae (HEMIPTERA)	bramble leafhopper
<i>Rhyzopertha dominica</i> (F.) - Bostrichidae (COLEOPTERA)	lesser grain borer
<i>Rodolia cardinalis</i> (Mulsant) - Coccinellidae (COLEOPTERA)	cardinal ladybird

SCIENTIFIC NAME	COMMON NAME
<i>Saissetia coffeae</i> (Walker) - Coccidae (HEMIPTERA)	hemispherical scale
<i>Saissetia oleae</i> (Olivier) - Coccidae (HEMIPTERA)	black scale
<i>Salidula</i> spp. - Salididae (HEMIPTERA)	shore bugs
<i>Sancassania berlessei</i> (Michael) - Acaridae (ACARI)	wet grain mite
<i>Saprinus antipodius</i> Dahlgren - Histeridae (COLEOPTERA)	carriion pill beetle
<i>Sarcophaga milleri</i> (Johnston & Hardy) - refer	<i>Hybopygia varia</i> (Walker)
<i>Sarcoptes scabiei</i> (de Geer) - Sarcoptidae (ACARI)	scabies mite
<i>Scaptomyza fuscitarsis</i> Harrison - Drosophilidae (DIPTERA)	grey pasture fly
<i>Scatopse notata</i> (L.) - Scatopsidae (DIPTERA)	black compost fly
<i>Sciara agraria</i> Felt - Sciaridae (DIPTERA)	European fungus gnat
<i>Sciara annulata</i> Meigen - Sciaridae (DIPTERA)	annulate fungus gnat
<i>Scolopterus tetracanthus</i> White - Curculionidae (COLEOPTERA)	fourspined weevil
<i>Scolypopa australis</i> (Walker) - Ricianiidae (HEMIPTERA)	passionvine hopper
<i>Scoparia submarginalis</i> (Walker) - Pyralidae (LEPIDOPTERA)	sod webworm
<i>Scrobipalpa plaesiosema</i> (Turner) - Gelechiidae (LEPIDOPTERA)	tomato stem borer
<i>Seythrodus squalidus</i> Broun - Scarabaeidae (COLEOPTERA)	bumbling chafer
<i>Selidosema suavis</i> (Butler) - Geometridae (LEPIDOPTERA)	common forest looper
<i>Sephena cinerea</i> Kirkaldy - Flatidae (HEMIPTERA)	grey planthopper
<i>Sidymella</i> spp. - Thomisidae (ARANEAE)	squareended crab spiders
<i>Sigara arguta</i> (White) - Corixidae (HEMIPTERA)	common water boatman
<i>Siphanta acuta</i> (Walker) - Flatidae (HEMIPTERA)	green planthopper
<i>Sirex noctilio</i> F. - Siricidae (HYMENOPTERA)	sirex wood wasp
<i>Sitobion miscanthi</i> (Takahashi) - Aphididae (HEMIPTERA)	grain aphid
<i>Sitona humeralis</i> Stephens - Curculionidae (COLEOPTERA)	sitona weevil
<i>Sitophilus granarius</i> (L.) - Curculionidae (COLEOPTERA)	granary weevil
<i>Sitophilus oryzae</i> (L.) - Curculionidae (COLEOPTERA)	rice weevil
<i>Sitophilus zeamais</i> Motschulsky - Curculionidae (COLEOPTERA)	maize weevil
<i>Sitotroga cerealella</i> (Olivier) - Gelechiidae (LEPIDOPTERA)	angoumois grain moth
<i>Sminthurus viridus</i> (L.) - Sminthuridae (COLLEMBOLA)	lucerne flea
<i>Smynthuroides betae</i> Westwood - Pemphigidae (HEMIPTERA)	bean root aphid
<i>Solenopotes capillatus</i> Enderlein - Haematopinidae (PHTHIRAPTERA)	little blue cattle louse
<i>Spodoptera litura</i> (F.) - Noctuidae (LEPIDOPTERA)	tropical armyworm
<i>Steatoda grossa</i> (Koch) - Theridiidae (ARANEAE)	house cobweb spider
<i>Stegobium paniceum</i> (L.) - Anobiidae (COLEOPTERA)	drugstore beetle
<i>Stenodiplosis geniculati</i> Reuter - Cecidomyiidae (DIPTERA)	cocksfoot midge
<i>Stenoperla prasina</i> (Newman) - Eustheniidae (PLECOPTERA)	large green stonefly
<i>Stenopotes pallidus</i> Pascoe - Cerambycidae (COLEOPTERA)	pallid longhorn
<i>Stenotus binotatus</i> (F.) - Miridae (HEMIPTERA)	slender crop mirid
<i>Stephanitis rhododendri</i> Horvath - Tingidae (HEMIPTERA)	rhododendron lace bug
<i>Stethaspis longicornis</i> Arrow - Scarabaeidae (COLEOPTERA)	mumu chafer
<i>Stethaspis suturalis</i> (F.) - Scarabaeidae (COLEOPTERA)	tanguru chafer
<i>Stiphidion facetum</i> Simon - Stiphidiidae (ARANEAE)	sombrero spider
<i>Stolotermes ruficeps</i> Brauer - Kalotermitidae (ISOPTERA)	New Zealand wetwood termite
<i>Stomoxys calcitrans</i> (L.) - Muscidae (DIPTERA)	stable fly
<i>Suidasia nesbitti</i> Hughes - Acaridae (ACARI)	wheat pollard itch mite
<i>Supurna picta</i> (Koch) - Clubionidae (ARANEAE)	Australian ground spider

SCIENTIFIC NAME	COMMON NAME
<i>Sylvicola neozelandicus</i> (Schiner) - Anisopodidae (DIPTERA)	outhouse fly
<i>Sylvicola notatus</i> (Hutton) - Anisopodidae (DIPTERA)	outhouse fly
<i>Synanthedon tipuliformis</i> (Clerck) - Sesiidae (LEPIDOPTERA)	currant clearwing
<i>Syrphus novaezealandiae</i> Macquart - refer	<i>Melangyna novaezealandiae</i> (Macquart)
<i>Sytola geniculata</i> Foerster - Eurytomidae (HYMENOPTERA)	fennel seed chalcid
<i>Tachysphex nigerrimus</i> Smith - Sphecidae (HYMENOPTERA)	black cockroach hunter
<i>Tanychilus metallicus</i> (White) - Tenebrionidae (COLEOPTERA)	metallic combclawed beetle
<i>Tarsonemus pallidus</i> Banks - Tarsonemidae (ACARI)	cyclamen mite
<i>Tarsonemus waitei</i> Banks - Tarsonemidae (ACARI)	peach bud mite
<i>Technomyrmex albipes</i> (Smith) - Formicidae (HYMENOPTERA)	whitefooted house ant
<i>Tectarchus diversus</i> Salmon - Phasmatidae (PHASMATODEA)	ridgebacked stick insect
<i>Tectarchus ovobessus</i> Salmon - Phasmatidae (PHASMATODEA)	ridgebacked stick insect
<i>Tegenaria domestica</i> (Clerk) - Agelenidae (ARANEAE)	ubiquitous house spider
<i>Teleogryllus commodus</i> (Walker) - Gryllidae (ORTHOPTERA)	black field cricket (areinga)
<i>Tenebrio molitor</i> L. - Tenebrionidae (COLEOPTERA)	yellow mealworm
<i>Tenebrio obscurus</i> F. - Tenebrionidae (COLEOPTERA)	dark mealworm
<i>Tenebroides mauritanicus</i> (L.) - Trogositidae (COLEOPTERA)	cadelle
<i>Tessaromma undatum</i> Newman - Cerambycidae (COLEOPTERA)	velvet eucalypt longhorn
<i>Tetragnatha</i> spp. - Araneidae (ARANEAE)	big jawed orbweb spiders
<i>Tetranychus urticae</i> Koch - Tetranychidae (ACARI)	twospotted spider mite
<i>Tetrorea cilipes</i> White - Cerambycidae (COLEOPTERA)	hissing longhorn
<i>Teuchothrips</i> sp. - Phlaeothripidae (THYSANOPTERA)	bottlebrush thrips
<i>Thanatodietya tillyardi</i> Myers - Dictyopharidae (HEMIPTERA)	longheaded bracken hopper
<i>Theridion tepidariorum</i> Koch - Theridiidae (ARANEAE)	domestic spider
<i>Thoramus wakefieldi</i> Sharp - Elateridae (COLEOPTERA)	Wakefield's click beetle
<i>Thrips nigropilosus</i> Uzel - Thripidae (THYSANOPTERA)	chrysanthemum thrips
<i>Thrips obscuratus</i> (Crawford) - Thripidae (THYSANOPTERA)	New Zealand flower thrips
<i>Thrips simplex</i> (Morison) - Thripidae (THYSANOPTERA)	gladiolus thrips
<i>Thrips tabaci</i> Lindeman - Thripidae (THYSANOPTERA)	onion thrips
<i>Thyreoscephalus</i> spp. - Staphylinidae (COLEOPTERA)	metallic green rove beetles
<i>Thyreophagus entomophagus</i> (Laboulbene) - Acaridae (ACARI)	flour mite
<i>Tinea pellionella</i> (L.) - Tineidae (LEPIDOPTERA)	casemaking clothes moth
<i>Tineola bisselliella</i> (Hummel) - Tineidae (LEPIDOPTERA)	webbing clothes moth
<i>Tmetolophota steropastis</i> (Meyrick) - Noctuidae (LEPIDOPTERA)	flax notcher
<i>Tomogenius latipes</i> (Broun) - Histeridae (COLEOPTERA)	broadlegged pill beetle
<i>Torymus varians</i> (Walker) - Torymidae (HYMENOPTERA)	apple seed chalcid
<i>Toxoptera aurantii</i> (Boyer de Fonscolombe) - Aphididae (HEMIPTERA)	black citrus aphid
<i>Toxoptera citricidus</i> (Kirkaldy) - Aphididae (HEMIPTERA)	brown citrus aphid
<i>Trachymela sloanei</i> (Blackburn) - Chrysomelidae (COLEOPTERA)	small eucalyptus tortoise beetle
<i>Trialeurodes vaporariorum</i> (Westwood) - Aleyrodidae (HEMIPTERA)	greenhouse whitefly
<i>Triamescaptor aotea</i> Tindale - Gryllotalpidae (ORTHOPTERA)	honi

SCIENTIFIC NAME	COMMON NAME
<i>Tribolium castaneum</i> (Herbst) - Tenebrionidae (COLEOPTERA)	red flour beetle
<i>Tribolium confusum</i> Jacquelin du Val - Tenebrionidae (COLEOPTERA)	confused flour beetle
<i>Trichodectes canis</i> (de Geer) - Trichodectidae (PHTHIRAPTERA)	dog biting louse
<i>Trichophaga tapetzella</i> (L.) - Tineidae (LEPIDOPTERA)	tapestry moth
<i>Trionymus diminitus</i> (Leonardi) - Pseudococcidae (HEMIPTERA)	New Zealand flax mealy bug
<i>Triosa curta</i> (Ferris & Klyver) - Psyllidae (HEMIPTERA)	pohutukawa psyllid
<i>Triosa vitreoradiata</i> (Maskell) - Psyllidae (HEMIPTERA)	pittosporum psyllid
<i>Triplectides obsoleta</i> (McLachlan) - Leptoceridae (TRICHOPTERA)	stick caddis
<i>Trite auricoma</i> (Urquhart) - Salticidae (ARANEAE)	goldenbrown jumping spider
<i>Trite planiceps</i> Simon - Salticidae (ARANEAE)	blackheaded jumping spider
<i>Tylenchulus semipenetrans</i> Cobb - Tylenchulidae (NEMATODA)	citrus nematode
<i>Typhaea stercorea</i> (L.) - Mycetophagidae (COLEOPTERA)	hairy fungus beetle
<i>Typhlocyba froggatti</i> Baker - Cicadellidae (HEMIPTERA)	Froggatt's apple leafhopper
<i>Tyria jacobaeae</i> (L.) - Arctiidae (LEPIDOPTERA)	cinnabar moth
<i>Tyrolichus casei</i> Oudemans - Acaridae (ACARI)	cheese mite
<i>Tyrophagus longior</i> (Gervais) - Acaridae (ACARI)	seed mite
<i>Tyrophagus putrescentiae</i> (Schrank) - Acaridae (ACARI)	mould mite
<i>Ultracoelostoma assimile</i> (Maskell) - Margarodidae (HEMIPTERA)	sootybeech scale
<i>Uresiphita polygonalis maorialis</i> (Felder) - Geometridae (LEPIDOPTERA)	kowhai moth
<i>Uropetala carovei</i> Selys - Petaluridae (ODONATA)	giant dragonfly (kapokapowai)
<i>Vanessa gonerilla gonerilla</i> F. - refer	<i>Bassaris gonerilla gonerilla</i> (F.)
<i>Vanessa gonerilla ida</i> Alfken - refer	<i>Bassaris gonerilla ida</i> (Alfken)
<i>Vanessa itea</i> F. - refer	<i>Bassaris itea</i> (F.)
<i>Vanessa kershawi</i> (McCoy) - refer	<i>Cynthia kershawi</i> McCoy
<i>Vespula germanica</i> (F.) - Vespidae (HYMENOPTERA)	German wasp
<i>Wiseana</i> spp. - Hepialidae (LEPIDOPTERA)	porina
<i>Xanthocnemis zealandica</i> (McLachlan) - Coenagrionidae (ODONATA)	red damselfly (kihitarā)
<i>Xanthopimpla rhopaloceros</i> Krieger - Ichneumonidae (HYMENOPTERA)	yellowbanded leafroller parasite
<i>Xenocnema spinipes</i> Wollaston - Curculionidae (COLEOPTERA)	shortnosed kauri weevil (uhu)
<i>Xenopsylla cheopis</i> (Rothschild) - Pulicidae (SIPHONAPTERA)	oriental rat flea
<i>Xyleborus compressus</i> (Lea) - Scolytidae (COLEOPTERA)	keyhole ambrosia beetle
<i>Xyleborus saeseni</i> (Ratzeburg) - Scolytidae (COLEOPTERA)	keyhole ambrosia beetle
<i>Xyleborus (truncatus)</i> Erichson - Scolytidae (COLEOPTERA)	keyhole ambrosia beetle
<i>Xylotoles griseus</i> (F.) - Cerambycidae (COLEOPTERA)	grey longhorn

SCIENTIFIC NAME	COMMON NAME
<i>Zelandoperla</i> spp. - Gripopterygidae (PLECOPTERA)	longtailed stoneflies
<i>Zelandotipula novarae</i> (Schiner) - Tipulidae (DIPTERA)	swamp crane fly
<i>Zephlebia</i> spp. - Leptophlebiidae (EPHEMEROPTERA)	doublingilled mayflies
<i>Zermizinga indocilisaria</i> Walker - Geometridae (LEPIDOPTERA)	lucerne looper
<i>Zeuxidiplosis giardi</i> (Kieffer) - Cecidomyiidae (DIPTERA)	St John's wort gall midge
<i>Zizina otis labradus</i> (Godart) - Lycaenidae (LEPIDOPTERA)	common blue
<i>Zizina otis oxleyi</i> (Felder) - Lycaenidae (LEPIDOPTERA)	southern blue
<i>Zorion minutum</i> (F.) - Cerambycidae (COLEOPTERA)	flower longhorn
<i>Zygina dumbletoni</i> Ghauri - Cicadellidae (HEMIPTERA)	Dumbleton's leafhopper
<i>Zygina zealandica</i> (Myers) - Cicadellidae (HEMIPTERA)	yellow pasture leafhopper

COMMON NAME	SCIENTIFIC NAME
acacia psyllid	<i>Psylla uicatoides</i> (Ferris & Klyver)
acacia seed chalcid	<i>Eurytoma acaciae</i> Cameron
acutewing click beetle	<i>Metablax acutipennis</i> (White)
air sack mite	<i>Cytodites nudus</i> (Vizioli)
akeake blister gall midge	<i>Dryomyia shawiae</i> Anderson
alkali bee	<i>Nomia melanderi</i> Cockerell
alpine weta	<i>Deinacrida connectens</i> (Ander)
American cockroach	<i>Periplaneta americana</i> (L.)
American grass thrips	<i>Anaphothrips obscurus</i> (Müller)
American housedust mite	<i>Dermatophagoides farinae</i> Hughes
angoumois grain moth	<i>Sitotroga cerealella</i> (Olivier)
annulate fungus gnat	<i>Sciara annulata</i> Meigen
antipodean assassin bug	<i>Ploiaria antipoda</i> Bergroth
apple leafcurling midge	<i>Dasyneura mali</i> Kieffer
apple mussel scale	<i>Lepidosaphes ulmi</i> (L.)
apple rust mite	<i>Aculus schlechtendali</i> (Nalepa)
apple seed chalcid	<i>Torymus varians</i> (Walker)
Argentine stem weevil	<i>Hyperodes bonariensis</i> Kuschel
Asiatic rose scale	<i>Aulacaspis rosarum</i> Borchsenius
Australian black beetle	<i>Adoryphorus couloni</i> (Burmeister)
Australian carpet beetle	<i>Anthrenocerus australis</i> (Hope)
Australian cockroach	<i>Periplaneta australasiae</i> (F.)
Australian crop mirid	<i>Eurystylus australis</i> Poppius
Australian damselfly	<i>Ischnura aurora aurora</i> (Brauer)
Australian dung scarabs	<i>Onthophagus</i> spp.
Australian ground spider	<i>Supanna picta</i> (Koch)
Australian painted lady	<i>Cynthia kershawi</i> McCoy
Australian paper wasp	<i>Polistes tasmaniensis humilis</i> Saussure
Australian soldier fly	<i>Inopus rubriceps</i> (Macquart)
Australian spider beetle	<i>Ptinus tectus</i> Boieldieu
Avondale spider	<i>Isopeda insignis</i> (Thorell)
azalea leafminer	<i>Caloptilia azaleella</i> (Brants)
bag moth (kopi)	<i>Liothula omnivorus</i> (Fereday)
banana silvering thrips	<i>Hercinothrips bicinctus</i> (Bagnall)
banana spider	<i>Heteropoda venatoria</i> (L.)
banded clover casebearer	<i>Coleophora spissicornis</i> Haworth
banded grass leafhopper	<i>Horouta inconstans</i> Knight
banded thrips	<i>Aeolothrips fasciatus</i> (L.)

COMMON NAME	SCIENTIFIC NAME
banded tunnel web spiders	<i>Hexathele</i> spp.
barberry aphid	<i>Liosomaphis berberidis</i> (Kaltenbach)
beach stiletto fly	<i>Anabarynychus bilineatus</i> (F.)
bean root aphid	<i>Smynthuroides betae</i> Westwood
bean weevil	<i>Acanthoscelides obtectus</i> (Say)
bed bug	<i>Cimex lectularius</i> L.
beech bud mite	<i>Aceria waltheri</i> (Keifer)
beech buprestid	<i>Nascioides enysi</i> (Sharp)
beech leafroller	<i>Epichorista emphanes</i> Meyrick
beet leafminer	<i>Liriomyza chenopodii</i> (Watt)
bicoloured swamp fly	<i>Dilophus nigrostigma</i> (Walker)
big jawed orbweb spiders	<i>Tetragnatha</i> spp.
bigheaded ant	<i>Pheidole megacephala</i> (F.)
birch aphid	<i>Calaphis flava</i> Mordvilko
black bean aphid	<i>Aphis craccivora</i> Koch
black beetle	<i>Heteronychus arator</i> (F.)
black cherry aphid	<i>Myzus cerasi</i> (F.)
black citrus aphid	<i>Toxoptera aurantii</i> (Boyer de Fonscolombe)
black cockroach (kekerengu)	<i>Platyzosteria novaeseelandiae</i> (Brunner von Wattenwyl)
black cockroach hunter	<i>Tachysphex nigerrimus</i> Smith
black compost fly	<i>Scatopse notata</i> (L.)
black field cricket (areinga)	<i>Teleogryllus commodus</i> (Walker)
black house spider	<i>Ixeuticus martius</i> (Simon)
black katipo	<i>Latrodectus atritus</i> Urquhart
black mountain ringlet	<i>Perenodaimon pluto</i> (Fereday)
black pasture fly	<i>Hydrellia tritici</i> Coquillett
black pasture springtail	<i>Hypogastrura rossi</i> (Salmon)
black peach aphid	<i>Brachycaudus persicae</i> (Passerini)
black pine bark beetle	<i>Hylastes ater</i> (Paykull)
black scale	<i>Saissetia oleae</i> (Olivier)
black tunnelweb spider	<i>Porrhothele antipodiana</i> (Walckenaer)
black vine weevil	<i>Otiorhynchus sulcatus</i> (F.)
blackberry bud moth	<i>Eutorma phaulacosma</i> Meyrick
blackheaded jumping spider	<i>Trite planiceps</i> Simon
blacklegged leafroller	<i>Planotortrix notophaea</i> (Turner)
blue damselfly (kekewai)	<i>Austrolestes colensonis</i> (White)
blue moon	<i>Hypolimnas bolina nerina</i> (F.)
bluegreen lucerne aphid	<i>Acyrtosiphon kondoi</i> Shinji
bluegum chalcid	<i>Rhiconopeltella eucalypti</i> Gahan
bluegum psyllid	<i>Ctenarytaina eucalypti</i> (Maskell)
bluegum scale ladybird	<i>Rhizobius ventralis</i> (Erichson)
Boisduval's scale	<i>Diaspis boisduvali</i> Signoret
booklouse	<i>Liposcelis divinatorius</i> (Müller)
bottlebrush thrips	<i>Teuchothrips</i> sp.
boulder copper	<i>Lycaena boldenarum</i> (White)

COMMON NAME	SCIENTIFIC NAME
bracket fungus beetles	<i>Cis</i> spp.
bramble leafhopper	<i>Ribautiana tenerrima</i> (Herrich-Schäffer)
broad mite	<i>Polyphagotarsonemus latus</i> (Banks)
broadhorned flour beetle	<i>Gnathocerus cornutus</i> (F.)
broadlegged pill beetle	<i>Tomogenius latipes</i> (Broun)
bronze beetle	<i>Eucolaspis brunea</i> (F.)
Broun's sand beetle	<i>Lagrioida brouni</i> Pascoe
Broun's scarab	<i>Ataenius brouni</i> (Sharp)
brown blow fly	<i>Calliphora stygia</i> F.
brown chrysanthemum aphid	<i>Macrosiphoniella samborni</i> (Gillette)
brown citrus aphid	<i>Toxoptera citricidus</i> (Kirkaldy)
brown flour mite	<i>Gohieria fusca</i> (Oudemans)
brown garden snail	<i>Helix aspersa</i> Müller
brown house moth	<i>Hofmannophila pseudospretella</i> (Stainton)
brown mite	<i>Bryobia rubrioculus</i> (Scheuten)
brown poultry louse	<i>Goniodes dissimilis</i> Denny
brown shield bug	<i>Dictyotus caenosus</i> (Westwood)
brown soft scale	<i>Coccus hesperidum</i> L.
brown soldier bug	<i>Cermatulus nasalis</i> (Westwood)
brown wheat mite	<i>Petrobia latens</i> (Müller)
brown wolf spider	<i>Allothochosina schauinslandi</i> (Simon)
brownheaded leafroller	<i>Ctenopseustis obliquana</i> (Walker)
brownheaded vagrant spiders	<i>Clubiona</i> spp.
browntop seed nematode	<i>Anguina agrostis</i> (Steinbuch)
bulb mites	<i>Rhizoglyphus</i> spp.
bumbling chafer	<i>Scythodes squalidus</i> Broun
burnt pine longhorn	<i>Arhopalus fesus</i> (Mulsant)
burrowing bee parasites	<i>Hyptiogaster</i> spp.
burrowing mayfly	<i>Ichthybotus hudsoni</i> McLachlan
bush spider	<i>Cambridgea foliata</i> (Koch)
bush wetas	<i>Hemideina</i> spp.
Butler's mountain ringlet	<i>Erebiola butleri</i> Fereday
cabbage aphid	<i>Brevicoryne brassicae</i> (L.)
cabbage tree moth	<i>Epiphyne verriculata</i> (Felder)
cabbage whitefly	<i>Aleyrodes proletella</i> (L.)
cadelle	<i>Tenebroides mauritanicus</i> (L.)
California maple aphid	<i>Periphyllus californiensis</i> (Shinji)
California red scale	<i>Aonidiella aurantii</i> (Maskell)
Campbell's cicada	<i>Maoricicada campbelli</i> (Myers)
cardinal ladybird	<i>Rodolia cardinalis</i> (Mulsant)
carriion beetle	<i>Necrophilus prolongatus</i> Sharp
carriion pill beetle	<i>Saprinus antipodius</i> Dahlgren

COMMON NAME	SCIENTIFIC NAME
carrot aphid	<i>Cavariella aegopodii</i> (Scopoli)
carrot rust fly	<i>Psila rosae</i> (F.)
casemaking clothes moth	<i>Tinea pellionella</i> (L.)
cat biting louse	<i>Felicola subrostratus</i> (Burmeister)
cat flea	<i>Ctenocephalides felis</i> (Bouché)
cat mange mite	<i>Notoedres cati</i> (Hering)
catsear gall wasp	<i>Phanaeus hypochroeridis</i> (Kieffer)
cattle biting louse	<i>Damalinea bovis</i> (L.)
cattle follicle mite	<i>Demodex bovis</i> Stiles
cattle scab mite	<i>Psoroptes natalensis</i> (Hirst)
cereal aphid	<i>Rhopalosiphum padi</i> (L.)
cereal cyst nematode	<i>Heterodera avenae</i> Wollenweber
cereal mite	<i>Acarus siro</i> L.
cereal thrips	<i>Limothrips cerealium</i> (Haliday)
chaff scale	<i>Parlatoria pergandii</i> Comstock
Chatham Island red admiral	<i>Bassaris gonerilla ida</i> (Alfken)
cheese mite	<i>Tyrolichus casei</i> Oudemans
cheese skipper	<i>Piophilus casei</i> (L.)
cherry slug	<i>Caliroa cerasi</i> (L.)
chicken mite	<i>Dermanyssus gallinae</i> (de Geer)
Chinese wax scale	<i>Ceroplastes sinensis</i> del Guercio
chink jumping spiders	<i>Holoplatys</i> spp.
chirping cicada	<i>Amphipsalta strepitans</i> (Kirkaldy)
chorioptic mange mite	<i>Chorioptes bovis</i> (Hering)
chorus cicada	<i>Amphipsalta zealandica</i> (Boisduval)
chrysanthemum gall midge	<i>Rhopalomyia chrysanthemi</i> (Ahlberg)
chrysanthemum leaf nematode	<i>Aphelenchoides ritsemabosi</i> (Schwartz)
chrysanthemum thrips	<i>Thrips nigropilosus</i> Uzel
cinnabar moth	<i>Tyria jacobaeae</i> (L.)
citrus bud mite	<i>Aceria sheldoni</i> (Ewing)
citrus flower moth	<i>Prays nephelomima</i> Meyrick
citrus mealy bug	<i>Pseudococcus calceolariae</i> (Maskell)
citrus nematode	<i>Tylenchulus semipenetrans</i> Cobb
citrus red mite	<i>Panonychus citri</i> (McGregor)
citrus rust mite	<i>Phyllocoptruta oleivora</i> (Ashmead)
clapping cicada (kihikihi)	<i>Amphipsalta cingulata</i> (F.)
clover cyst nematode	<i>Heterodera trifolii</i> Goffart
clover mite	<i>Bryobia praetiosa</i> Koch
clover seed chalcid	<i>Bruchophagus gibbus</i> (Boheman)
coastal biting midge	<i>Acanthoconops myersi</i> Tonnoir
cocksfoot midge	<i>Stenodiplosis geniculati</i> Reuter
cocksfoot stem borer	<i>Glyphipteryx achyloessa</i> Meyrick
codling moth	<i>Laspeyresia pomonella</i> (L.)
coffin fly	<i>Megaselia rufipes</i> (Meigen)
common backswimmer	<i>Anisops assimilis</i> White

COMMON NAME	SCIENTIFIC NAME
common blue	<i>Zizina otis labradus</i> (Godart)
common copper	<i>Helleia salustius</i> (F.)
common eucalypt longhorn	<i>Phoracantha semipunctata</i> (F.)
common forest looper	<i>Selidosema suavis</i> (Butler)
common grass moth	<i>Orocrambus flexuosellus</i> (Doubleday)
common humpbacked fly	<i>Megaselia impariseta</i> Bridarolli
common midge	<i>Chironomus zealandicus</i> Hudson
common money spider	<i>Diplocephalus cristatus</i> (Blackwell)
common netbuilding caddis	<i>Aoteapsyche colonica</i> (McLachlan)
common pond skater	<i>Microvelia macgregori</i> (Kirkaldy)
common seabird tick	<i>Ixodes uriae</i> White
common stonycased caddis	<i>Pycnocentroides aureola</i> (McLachlan)
common tipworm	<i>Crocidosema plebeiana</i> Zeller
common water boatman	<i>Sigara arguta</i> (White)
composite thrips	<i>Microcephalothrips abdominalis</i> (Crawford)
compressed weevil	<i>Irenimus compressus</i> (Broun)
cone spiders	<i>Rhamphaea</i> spp.
confused flour beetle	<i>Tribolium confusum</i> Jacquelin du Val
conifer aphid	<i>Cinara juniperi</i> (de Geer)
convolvulus hawk moth (hihue)	<i>Agrius convolvuli</i> (L.)
convolvulus leafminer	<i>Bedellia somulentella</i> (Zeller)
cootamundra wattle psyllid	<i>Psylla acaciaebailleyanae</i> Froggatt
copper beech aphid	<i>Phyllaphis fagi</i> (L.)
corn earworm - refer	tomato fruitworm
corn leaf aphid	<i>Rhopalosiphum maidis</i> (Fitch)
cosmopolitan armyworm	<i>Leucania separata</i> (Walker)
cosmopolitan diving beetle	<i>Rhantus pulverosus</i> (Stephens)
cosmopolitan ground beetle	<i>Laemostenus complanatus</i> (Dejean)
cosmopolitan springtail	<i>Entomobrya nivalis</i> (L.)
cottony camellia scale	<i>Pulvinaria floccifera</i> (Westwood)
cottony cushion scale	<i>Icerya purchasi</i> Maskell
cotula weevil	<i>Desiantha variabilis</i> (Broun)
crab louse	<i>Phthirus pubis</i> (L.)
Cromwell chafer	<i>Prodontria lewisi</i> (Broun)
currant bud mite	<i>Cecidophyopsis ribis</i> (Westwood)
currant clearwing	<i>Synanthedon tipuliformis</i> (Clerck)
cyclamen mite	<i>Tarsonemus pallidus</i> Banks
cylindrical rove beetles	<i>Holotrochus</i> spp.
cypress bark beetle	<i>Phloeosinus cupressi</i> Hopkins

COMMON NAME	SCIENTIFIC NAME
daddy longlegs spider	<i>Pholcus phalangioides</i> (Fuesslin)
dark mealworm	<i>Tenebrio obscurus</i> F.
Dejean's scarab	<i>Dasygnathus dejeani</i> Macleay
depluming mite	<i>Neocnemidocoptes gallinae</i> (Railliet)
Desjardin's flat beetle	<i>Cryptomorpha desjardinsi</i> (Guerin)
devil's coachhorse	<i>Creophilus oculatus</i> (F.)
diamondback moth	<i>Plutella xylostella</i> (L.)
dicky rice weevil	<i>Maleuterpes spinipes</i> Blackburn
diurnal grass grub	<i>Costelytra diurna</i> Given
dobsonfly	<i>Archichauliodes diversus</i> Walker
dog biting louse	<i>Trichodectes canis</i> (de Geer)
dog flea	<i>Ctenocephalides canis</i> (Curtis)
dog follicle mite	<i>Demodex canis</i> Leydig
dog sucking louse	<i>Linognathus setosus</i> (von Olfers)
domestic spider	<i>Theridion tepidariorum</i> Koch
doublegilled mayflies	<i>Zephlebia</i> spp.
dried fruit beetle	<i>Carpophilus hemipterus</i> (L.)
dried fruit mite	<i>Carpoglyphus lactis</i> (L.)
dried fruit moth	<i>Cadra cautella</i> (Walker)
drone fly	<i>Eristalis tenax</i> (L.)
drugstore beetle	<i>Stegobium paniceum</i> (L.)
Dumbleton's leafhopper	<i>Zygina dumbletoni</i> Ghauri
ear mange mite	<i>Otodectes cynotis</i> (Hering)
Earl's stag beetle	<i>Dendrobax earlii</i> White
elephant weevil	<i>Rhyncodes ursus</i> White
eleven-spotted ladybird	<i>Coccinella undecimpunctata</i> L.
eucalyptus mussel scale	<i>Lepidosaphes eucalypti</i> (Froggatt)
eucalyptus thrips	<i>Isoneurothrips australis</i> Bagnall
eucalyptus tortoise beetle	<i>Paropsis charybdis</i> Stål
European birch aphid	<i>Euceraphis punctipennis</i> (Zetterstedt)
European black slug	<i>Arion ater</i> (L.)
European blow fly	<i>Calliphora vicina</i> Robineau-Desvoidy
European chicken flea	<i>Ceratophyllus gallinae</i> (Schrank)
European earwig	<i>Forficula auricularia</i> L.
European fruit scale	<i>Lecanium corni</i> Bouché
European fungus gnat	<i>Sciara agraria</i> Felt
European harvestman	<i>Phalangium opilio</i> (L.)
European housedust mite	<i>Dermatophagoides pteronyssinus</i> (Trouessart)
European peach scale	<i>Lecanium persicae</i> (F.)
European rat flea	<i>Nosopsyllus fasciatus</i> (Bosc)
European red mite	<i>Panonychus ulmi</i> (Koch)

COMMON NAME	SCIENTIFIC NAME
Fabrician lygaeid bug	<i>Rhyodes clavicornis</i> (F.)
false cabbage aphid	<i>Lipaphis erysimi</i> (Kaltenbach)
false nurseryweb spider	<i>Chiracanthium stratioticum</i> (Koch)
false stable fly	<i>Muscina stabulans</i> (Fallén)
false wireworms	<i>Mimopeus</i> spp.
felted manuka scale	<i>Eriococcus leptospermi</i> Maskell
felted pine scale	<i>Eriococcus araucariae</i> Maskell
fennel aphid	<i>Dysaphis foeniculus</i> (Theobald)
fennel seed chalcid	<i>Sytole geniculata</i> Foerster
fern aphid	<i>Idiopterus nephrolepidis</i> Davis
fern scale	<i>Pinnaspis aspidistrae</i> (Signoret)
field root knot nematode	<i>Meloidogyne hapla</i> (Chitwood)
filbert bud mite	<i>Phytoptus avellanae</i> (Nalepa)
fire adelgid	<i>Adelges nordmannianae</i> (Eckstein)
fir seed chalcid	<i>Megastigmus spermotrophus</i> Wachtl
flask caddis	<i>Oxyethira albiceps</i> (McLachlan)
flat grain beetle	<i>Cryptolestes pusillus</i> (Schoenherr)
flattened bark spider	<i>Hemicloea rogenhofferi</i> Koch
flax looper	<i>Orthoclydon praelectata</i> Walker
flax notcher	<i>Tmetolophota steropastis</i> (Meyrick)
flax plant hopper	<i>Oliarus atkinsoni</i> Myers
Flores weevil	<i>Floresianus sordidus</i> Hustache
flour mite	<i>Thyreophagus entomophagus</i> (Laboulbene)
flower longhorn	<i>Zorion minutum</i> (F.)
flower thrips	<i>Frankliniella intonsa</i> (Trybom)
foreign grain beetle	<i>Ahasverus advena</i> (Waltl)
forest ringlet	<i>Dodonidia helmsi</i> (Fereday)
forest semilooper	<i>Declana floccosa</i> Walker
fourspined weevil	<i>Scolopterus tetracanthus</i> White
foxglove aphid	<i>Aulacorthum solani</i> (Kaltenbach)
fringed goat louse	<i>Damalinia limbata</i> (Gervais)
fringed orchid aphid	<i>Cerataphis orchidearum</i> (Westwood)
Froggatt's apple leafhopper	<i>Typhlocyba froggatti</i> Baker
Fuller's rose weevil	<i>Asynonychus cervinus</i> (Boheman)
fuschia psyllid	<i>Ctenarytaina fuchsiae</i> (Maskell)
garden orbweb spider	<i>Araneus pustulosus</i> Walckenaer
garden soldier fly	<i>Neoceratareta spinigera</i> (Wiedemann)
garden springtail	<i>Bourletiella hortensis</i> (Fitch)
garden weevil	<i>Phlyctinus callosus</i> Boheman
garden wolf spider	<i>Lycosa hilaris</i> Koch
German cockroach	<i>Blattella germanica</i> (L.)
German wasp	<i>Vespula germanica</i> (F.)

COMMON NAME	SCIENTIFIC NAME
giant dragonfly (kapokapowai)	<i>Uropetala carovei</i> Selys
giant ichneumonid	<i>Certonotus fractiventris</i> (Vollenhoven)
giraffe weevil (tuwhaipapa)	<i>Lasiornhynchus barbicornis</i> (F.)
Gisborne cockroach	<i>Drymaplaneta semivitta</i> (Walker)
glade copper	<i>Hellela feredayi</i> (Bates)
gladiolus thrips	<i>Thrips simplex</i> (Morison)
glasshouse root knot nematode	<i>Meloidogyne incognita</i> (Kofoid & White)
goat biting louse	<i>Damalinia caprae</i> (Gurlt)
goat sucking louse	<i>Linognathus stenopsis</i> (Burmeister)
golden hunting wasp	<i>Priocnemis nitida</i> F.
golden mealy bug	<i>Nipaeococcus aurilanus</i> (Maskell)
golden oak scale	<i>Asterolecanium quercicola</i> (Bouché)
golden oak scale	<i>Asterolecanium variolosum</i> (Ratzeburg)
goldenbrown jumping spider	<i>Trite auricoma</i> (Urquhart)
goldenhaired bark beetle	<i>Hylurgus ligniperda</i> (F.)
gooseberry mite	<i>Bryobia ribis</i> Thomas
gorse seed weevil	<i>Apion ulicis</i> (Forster)
grain aphid	<i>Sitobion miscanthi</i> (Takahashi)
grape bud mite	<i>Eriophyes vitis</i> (Pagenstecher)
grape erineum mite	<i>Colomerus vitis</i> (Pagenstecher)
grape phylloxera	<i>Phylloxera vitifoliae</i> (Fitch)
grapevine moth	<i>Phalaenoides glycine</i> Lewin
granary weevil	<i>Sitophilus granarius</i> (L.)
grass grub (tutaeruru)	<i>Costelytra zealandica</i> (White)
grass moths	<i>Orocrambus</i> spp.
grass stem anthribid	<i>Euclodes suturalis</i> Pascoe
grass thrips	<i>Aptinothrips rufus</i> (Haliday)
Gray's dragonfly	<i>Procordulia grayi</i> (Selys)
greasy cutworm	<i>Agrotis ypsilon aneituma</i> (Walker)
great giant scale	<i>Coelostomidia zealandica</i> (Maskell)
greater St John's wort beetle	<i>Chrysomela quadrigemina</i> (Suffrian)
greater wax moth	<i>Galleria mellonella</i> (L.)
greedy scale	<i>Hemiberlesia rapax</i> (Comstock)
green blow fly	<i>Lucilia sericata</i> (Meigen)
green freeliving caddis	<i>Hydrobiosis parumbripennis</i> McFarlane
green longlegged flies	<i>Chrysosma</i> spp.
green looper	<i>Chrysodeixis eriosoma</i> (Doubleday)
green orbweb spider	<i>Araneus viridatus</i> (Urquhart)
green peach aphid	<i>Myzus persicae</i> (Sulzer)
green planthopper	<i>Siphanta acuta</i> (Walker)
green potato bug	<i>Cuspidana simplex</i> Walker
green soldier flies	<i>Eulalia</i> spp.
green totara scale	<i>Madarococcus totarae</i> (Maskell)
green vegetable bug	<i>Nezara viridula</i> (L.)
greenheaded leafroller	<i>Planotortrix excessana</i> (Walker)

COMMON NAME	SCIENTIFIC NAME
greenhouse thrips	<i>Heliothrips haemorrhoidalis</i> (Bouché)
greenhouse whitefly	<i>Trialeurodes vaporariorum</i> (Westwood)
gregarious tineid	<i>Helioestibes atychioides</i> (Butler)
grey field slug	<i>Agriolimax reticulatus</i> (Müller)
grey longhorn	<i>Xylotoles griseus</i> (F.)
grey pasture fly	<i>Scaptomyza fuscitarsis</i> Harrison
grey planthopper	<i>Sepheia cinerea</i> Kirkaldy
grey shore fly	<i>Ephydrella aquaria</i> (Hutton)
grocers' itch mite	<i>Glycyphagus domesticus</i> (de Geer)
grocers' itch mite	<i>Lepidoglyphus destructor</i> (Schrank)
ground dwelling trapdoor spiders	<i>Cantuarina</i> spp.
ground mealy bug	<i>Rhizoecus falcifer</i> Künckel d'Herculaïs
ground wetas	<i>Hemianthus</i> spp.
gum emperor moth	<i>Antheraea eucalypti</i> Scott
gum tree scale	<i>Eriococcus coriaceus</i> Maskell
gum tree weevil	<i>Gonipterus scutellatus</i> (Gyllenhal)
hairy colletid bees	<i>Leioproctus</i> spp.
hairy fungus beetle	<i>Typhaea stercorea</i> (L.)
hairy maggot blow fly	<i>Chrysomya rufifacies</i> (Macquart)
Hamilton's cicada	<i>Maoricicada hamiltoni</i> (Myers)
hard bodied harvestmen	<i>Algidia</i> spp.
hard bodied harvestmen	<i>Prasma</i> spp.
hazel aphid	<i>Myzocallis coryli</i> (Goeze)
Helms' beech weevil	<i>Anagotus helmsi</i> Sharp
Helms' stag beetle	<i>Dorcus helmsi</i> (Sharp)
hemispherical scale	<i>Saissetia coffeae</i> (Walker)
hessian fly	<i>Mayetiola destructor</i> (Say)
hide beetle	<i>Dermestes maculatus</i> de Geer
hissing longhorn	<i>Tetrorrea cilipes</i> White
honey bee	<i>Apis mellifera</i> L.
honeysuckle aphid	<i>Hyadaphis foeniculi</i> (Passerini)
honi	<i>Triamescaptor aotea</i> Tindale
hop cyst nematode	<i>Heterodera humuli</i> Filipjev
horntail parasite	<i>Rhyssa persuasoria</i> (L.)
horntailed caterpillar (ngurengure) - refer	<i>convolvulus hawk moth</i>
hornycased caddis	<i>Olinga feredayi</i> McLachlan
horse biting louse	<i>Domalinta equi</i> (Denny)
horse bot fly	<i>Gasterophilus intestinalis</i> (de Geer)
horse follicle mite	<i>Demodex equi</i> Railliet
horse scab mite	<i>Psoroptes equi</i> (Hering)
horse sucking louse	<i>Haematopinus asini</i> (L.)
house borer	<i>Anobium punctatum</i> (de Geer)

COMMON NAME	SCIENTIFIC NAME
house cobweb spider	<i>Steatoda grossa</i> (Koch)
house fly	<i>Musca domestica</i> L.
hover fly parasite	<i>Diplazon laetatorius</i> (F.)
Howitt's flat beetle	<i>Dryocora howitti</i> Pascoe
Hudson's bug	<i>Hudsona anceps</i> (White)
huhu beetle	<i>Prionoplus reticularis</i> White
human body louse	<i>Pediculus humanus humanus</i> L.
human flea	<i>Pulex irritans</i> L.
human follicle mite	<i>Demodex brevis</i> Akbulatova
human follicle mite	<i>Demodex folliculorum</i> (Simon)
human head louse	<i>Pediculus humanus capitis</i> de Geer
Hutton's moss beetle	<i>Liochoria huttoni</i> Pascoe
Indian meal moth	<i>Plodia interpunctella</i> (Hübner)
jointedrush hopper	<i>Paracephaleus hudsoni</i> (Myers)
juniper scale	<i>Carulaspis juniperi</i> (Bouché)
kaka beak leafminer	<i>Liriomyza clianthi</i> (Watt)
kanuka longhorn	<i>Ochrocydus huttoni</i> Pascoe
karamu leaf beetle	<i>Pleuraltica cyanea</i> (Broun)
karamu leafminer	<i>Paractopa zorionella</i> Hudson
katipo	<i>Latrodectus katipo</i> (Powell)
katydid (kikipounamu)	<i>Caedicia simplex</i> (Walker)
kauri leafminer	<i>Paractopa leucocyma</i> Meyrick
kekerewai manuka chafer	<i>Pyronota festiva</i> (F.)
kelp fly	<i>Maorimya bipunctata</i> (Hutton)
Kerguelan bird flea	<i>Notiopsylla kerguelensis</i> (Taschenberg)
keyhole ambrosia beetle	<i>Xyleborus compressus</i> (Lea)
keyhole ambrosia beetle	<i>Xyleborus saebei</i> (Ratzeburg)
keyhole ambrosia beetle	<i>Xyleborus truncatus</i> (Erichson)
kiori flea	<i>Pygiopsylla hoplia</i> Jordon & Rothschild
kiriwai manuka chafer	<i>Pyronota edwardsi</i> (Sharp)
kowhai moth	<i>Uresiphita polygonalis maoralis</i> (Felder)

COMMON NAME	SCIENTIFIC NAME
lacewing parasite	<i>Anacharis zealandica</i> Ashmead
ladybird parasite	<i>Perilitus coccinellae</i> (Schrank)
lancewood leafminer	<i>Parectopa panacivagans</i> Watt
larder beetle	<i>Dermestes lardarius</i> L.
large black hunting wasp	<i>Priocnemis monachus</i> Smith
large borer (uhu)	<i>Hadrobregmus magnus</i> (Dumbleton)
large brown vagrant spiders	<i>Miturga</i> spp.
large driftwood weevil	<i>Pentarthrum zealandicum</i> Wollaston
large earth bumble bee	<i>Bombus terrestris</i> (L.)
large garden bumble bee	<i>Bombus ruderatus</i> F.
large green stonefly	<i>Stenoperla prasina</i> (Newman)
large hover fly	<i>Melangyna novaeseelandiae</i> (Macquart)
large pintail beetle	<i>Mordella antarctica</i> White
large poultry louse	<i>Goniodes gigas</i> (Taschenberg)
large sand scarab (mumutaua)	<i>Pericoptus truncatus</i> (F.)
large spotted ladybird	<i>Leis conformis</i> (Boisduval)
large swimming mayfly	<i>Oniscigaster distans</i> Eaton
leafcurl plum aphid	<i>Brachycaudus helichrysi</i> (Kaltenbach)
lemon tree borer	<i>Oemona hirta</i> (F.)
lesser grain borer	<i>Rhyzopertha dominica</i> (F.)
lesser house fly	<i>Fannia canicularis</i> (L.)
lesser mealworm	<i>Alphitobius diaperinus</i> (Panzer)
lesser wanderer	<i>Danaus chrysippus petilia</i> (Stoll)
lesser wax moth	<i>Achroia grisella</i> (F.)
lichen darkling beetles	<i>Artystona</i> spp.
lightbrown apple moth	<i>Epiphyas postvittana</i> (Walker)
lily aphid	<i>Aulacorthum circumflexum</i> (Buckton)
lily thrips	<i>Liothrips vaneeckei</i> Priesner
Lindsay's cicada	<i>Maoricicada lindsayi</i> (Myers)
little blue cattle louse	<i>Solenopotes capillatus</i> Enderlein
little dung flies	<i>Leptocera</i> spp.
little fringed weevil	<i>Atrichonotus taeniatulus</i> (Berg)
long brown scale	<i>Coccus elongatus</i> (Signoret)
longheaded bracken hopper	<i>Thanatodictya tillyardi</i> Myers
longlegged harvestmen	<i>Megalopsalis</i> spp.
longnosed cattle louse	<i>Linognathus vituli</i> (L.)
longnosed kauri weevil	<i>Mitrastethus baridioides</i> Redtenbacher
longtailed blue	<i>Lampides boeticus</i> (L.)
longtailed mealy bug	<i>Pseudococcus longispinus</i> (Targioni-Tozzetti)
longtailed stoneflies	<i>Zelandoperla</i> spp.
lucerne leafcutter bee	<i>Megachile pacifica</i> (Panzer)
lucerne' looper	<i>Zermisinga indocilisaria</i> Walker
lucerne mite	<i>Bryobia cristata</i> (Duges)
lucerne seed chalcid	<i>Bruchophagus roddi</i> Gussakovskii
lucerne stem nematode - refer	stem and bulb nematode

STANDARD NAMES FOR COMMON INSECTS OF NEW ZEALAND

COMMON NAME	SCIENTIFIC NAME
lucerne flea	<i>Sminthurus viridus</i> (L.)
lynx spider	<i>Oxyopes gregarius</i> (Urquhart)
magpie moth (mokarakara)	<i>Nyctemera annulata</i> Boisduval
maize seed beetle	<i>Clivina rugithorax</i> Putzeys
maize weevil	<i>Sitophilus zeamais</i> Motschulsky
manuka blight scale	<i>Eriococcus orariensis</i> Hoy
manuka giant scale	<i>Coelostomidia wairoensis</i> (Maskell)
marbled chafer	<i>Odontria marmorata</i> Broun
marigold aphid	<i>Neotoxoptera oliveri</i> (Essig)
marine caddis	<i>Philanisus plebius</i> Walker
marine spider	<i>Desis marina</i> (Hector)
mason wasp	<i>Pison spinolae</i> Schuckard
mauve pittosporum scale	<i>Parlatoria pittospori</i> Maskell
meadow foxtail midge	<i>Dasyneura alopecuri</i> (Reuter)
meadow spittlebug	<i>Philaenus spumarius</i> (L.)
meal moth	<i>Pyralis farinalis</i> (L.)
mealy bug ladybird	<i>Cryptolaemus montrouzieri</i> Mulsant
Mediterranean flour moth	<i>Ephestia kuehniella</i> Zeller
melon aphid	<i>Aphis gossypii</i> Glover
merchant grain beetle	<i>Oryzaephilus mercator</i> (Fauvel)
metallic black pasture fly	<i>Psilopa metallica</i> (Hutton)
metallic blue hover fly (ngarotamumu)	<i>Helophilus hochstetteri</i> Nowicki
metallic combclawed beetle	<i>Tanychilus metallicus</i> (White)
metallic flower beetles	<i>Dasytes</i> spp.
metallic green ground beetle	<i>Megadromus antarcticus</i> (Chaudoir)
metallic green rove beetles	<i>Thyreocephalus</i> spp.
Mexican dung beetle	<i>Copris incertus</i> Say
midleaf hebe gall midge	<i>Dasyneura hebefolia</i> Lamb
migratory locust (kapakapa)	<i>Locusta migratoria</i> L.
mint aphid	<i>Ovatus crataegarius</i> (Walker)
minute scavenger beetle	<i>Corticicara hirtalis</i> (Broun)
monarch	<i>Danaus plexippus</i> (L.)
moon moth (pari kori taua)	<i>Dasyptodia selenophora</i> Guenée
mottled stag beetle	<i>Ceratognathus irroratus</i> (Parry)
mould mite	<i>Tyrophagus putrescentiae</i> (Schrank)
mountain beech moth	<i>Proteodes carnifex</i> Butler
mountain stone weta	<i>Hemideina maori</i> Pictet & Saussure
mountain tiger moths	<i>Metacrias</i> spp.
mouse flea	<i>Leptopsylla segnis</i> (Schoenherr)
Mt Cook flea	<i>Pharmacus montanus</i> Pictet & Saussure
mumu chafer	<i>Stethaspis longicornis</i> Arrow
mute cricket	<i>Metioche maoricum</i> (Walker)

COMMON NAME	SCIENTIFIC NAME
narcissus bulb fly	<i>Merodon equestris</i> (F.)
narrownecked grain beetle	<i>Anthicus floralis</i> L.
New Zealand bat flea	<i>Porribius pacificus</i> Jordan
New Zealand bat fly	<i>Mystacinobia zelandica</i> Holloway
New Zealand black fly	<i>Austrosimulium australense</i> (Schiner)
New Zealand blue blow fly (rako)	<i>Calliphora quadrimaculata</i> (Svederus)
New Zealand cattle tick	<i>Haemaphysalis longicornis</i> Neumann
New Zealand cobweb spider	<i>Achaearanea veruculata</i> (Urquhart)
New Zealand drywood termite	<i>Kaloterms brouni</i> Froggatt
New Zealand flax mealy bug	<i>Trionymus diminutus</i> (Leonardi)
New Zealand flower thrips	<i>Thrips obscuratus</i> (Crawford)
New Zealand giant stick insect	<i>Argosarchus horridus</i> (White)
New Zealand glowworm (puratoke)	<i>Arachnocampa luminosa</i> (Skuse)
New Zealand grasshopper	<i>Phaulacridium marginale</i> (Walker)
New Zealand halictid bees	<i>Lasioglossum</i> spp.
New Zealand leafroller tachinid	<i>Pales funesta</i> (Hutton)
New Zealand vegetable bug	<i>Glaucias amyoti</i> (White)
New Zealand wetwood termite	<i>Stoloterms ruficeps</i> Brauer
nigra scale	<i>Parasaissetia nigra</i> (Nietner)
nikau anthribid	<i>Areopais spectabilis</i> Broun
nikau weevil	<i>Areocryptus bellus</i> Broun
nodding thistle receptacle weevil	<i>Rhinoceyllus conicus</i> (Froehlich)
North Island lichen moth	<i>Declana atronivea</i> (Walker)
northern fowl mite	<i>Ornithonyssus sylviarum</i> (Canestrini & Fanzago)
nurseryweb spider	<i>Dolomedes minor</i> (Koch)
oak aphid	<i>Aphis annulata</i> Hartig
oak leafminer	<i>Lithocolletis messaniella</i> Zeller
obscure mealy bug	<i>Pseudococcus obscurus</i> Essig
oleander aphid	<i>Aphis nerii</i> Boyer de Fonscolombe
oleander scale	<i>Aspidiotus nerii</i> Bouché
olearia gall midge	<i>Oligotrophus oleariae</i> (Maskell)
onion bulb fly	<i>Eumerus strigatus</i> (Fallén)
onion fly	<i>Delia platura</i> (Meigen)
onion thrips	<i>Thrips tabaci</i> Lindeman
open trapdoor spider	<i>Cantuarina huttoni</i> (Pickard-Cambridge)
orange soled slug	<i>Arion hortensis</i> Ferussac
orangespotted ladybird	<i>Coccinella leonina</i> F.
oriental ant	<i>Monomorium orientale</i> (Mayr)
oriental fruit moth	<i>Grapholitha molesta</i> (Busck)
oriental rat flea	<i>Xenopsylla cheopis</i> (Rothschild)
ornate aphid	<i>Myzus ornatus</i> Laing
outhouse fly	<i>Sylvicola neozelandicus</i> (Schiner)
outhouse fly	<i>Sylvicola notatus</i> (Hutton)

STANDARD NAMES FOR COMMON INSECTS OF NEW ZEALAND

COMMON NAME	SCIENTIFIC NAME
owl moth	<i>Dasypodia cymatoides</i> Guenée
oystershell scale	<i>Quadraspidiotus ostreaeformis</i> (Curtis)
pale chrysanthemum aphid	<i>Colorado rufomaculata</i> (Wilson)
pale damsel bug	<i>Nabis capsiformis</i> Germar
pale slug	<i>Agriolimax laevis</i> (Müller)
pallid longhorn	<i>Stenopotes pallidus</i> Pascoe
palm thrips	<i>Parthenothrips dracaenae</i> (Heegar)
Parry's stag beetle	<i>Ceratognathus parriani</i> (Westwood)
passionvine hopper	<i>Scolypopa australis</i> (Walker)
passionvine mite	<i>Brevipalpus phoeniceus</i> (Geijskes)
pasture mite	<i>Bryobia repensi</i> Manson
pasture wireworm	<i>Conoderus exsul</i> Sharp
pea aphid	<i>Acyrtosiphon pisum</i> (Harris)
peach bud mite	<i>Tarsonemus waiti</i> Banks
peach silver mite	<i>Aculus cornutus</i> (Banks)
pear leaf blister mite	<i>Eriophyes pyri</i> (Pagenstecher)
pear leafcurling midge	<i>Dasyneura pyri</i> (Bouché)
pear root aphid	<i>Eriosoma lanuginosum</i> (Hartig)
pelargonium aphid	<i>Acyrtosiphon malvae</i> (Mosley)
penny doctor - refer	tiger beetle (larva)
Pharaoh's ant	<i>Monomorium pharaonis</i> (L.)
pig follicle mite	<i>Demodex phylloides</i> Csokor
pig louse	<i>Haematopinus suis</i> (L.)
pine adelgid	<i>Pineus laevis</i> (Maskell)
pine aphid	<i>Eulachmus brevipilosus</i> Börner
pine knot borer	<i>Ernobius mollis</i> (L.)
pinhole borers	<i>Platypus</i> spp.
pitchy scarab	<i>Ataenius piceinus</i> Harold
pittosporum bark beetle	<i>Pteleobius mundulus</i> (Broun)
pittosporum psyllid	<i>Trioza vitreoradiata</i> (Maskell)
plain manuka chafer	<i>Pyronota laeta</i> (F.)
pohutukawa psyllid	<i>Trioza curta</i> (Ferris & Klyver)
policeman wasps	<i>Fodagrillus</i> spp.
policeman wasps	<i>Rhopalum</i> spp.
pond moth	<i>Nymphula nitens</i> (Butler)
Poor Knights weta	<i>Deinacrida fallai</i> Salmon
poplar gall aphid	<i>Pemphigus bursarius</i> (L.)
porina	<i>Wiseana</i> spp.
potato aphid	<i>Macrosiphum euphorbiae</i> (Thomas)
potato cyst nematode	<i>Globodera pallida</i> (Stone)
potato cyst nematode	<i>Globodera rostochiensis</i> (Wollenweber)
potato mirid	<i>Calocoris norvegicus</i> (Gmelin)
potato moth	<i>Phthorimaea operculella</i> (Zeller)

COMMON NAME	SCIENTIFIC NAME
poultry body louse	<i>Menacanthus stramineus</i> (Nitzsch)
poultry fluff louse	<i>Goniocotes gallinae</i> (de Geer)
poultry head louse	<i>Cuclotogaster heterographus</i> (Nitzsch)
poultry shaft louse	<i>Menopon gallinae</i> (L.)
poultry wing louse	<i>Lipeurus caponis</i> (L.)
poultryhouse pill beetle	<i>Carcinops pumilio</i> (Erichson)
powder post beetle	<i>Lyctus brunneus</i> (Stephens)
praying mantis (whe)	<i>Orthodera ministralis</i> (F.)
prickly stick insect (whe)	<i>Acanthozyla prasina</i> (Westwood)
primula aphid	<i>Microlophium primulae</i> (Theobald)
privet mite	<i>Brevipalpus obovatus</i> Donnadieu
puriri moth (anuhe)	<i>Aenetus virescens</i> (Doubleday)
purse caddises	<i>Paroxyethira</i> spp.
rabbit earcanker mite	<i>Psoroptes cuniculi</i> (Delafond)
ragwort leafminer	<i>Phytomyza syngenesiae</i> (Hardy)
raspberry aphid	<i>Aphis idaei</i> van der Goot
raspberry bud moth	<i>Carpocapsa adreptella</i> (Walker)
raspberry sawfly	<i>Priophorus brullei</i> Dahlbom
rat ear itch mite	<i>Notoedres muris</i> (Megnin)
rata root gall midge	<i>Proterodiplosis radialis</i> Wyatt
rattailed maggot (larva) - refer	drone fly
red admiral	<i>Bassaris gonerilla gonerilla</i> (F.)
red damselfly (kihitara)	<i>Xanthoememis zealandica</i> (McLachlan)
red flour beetle	<i>Tribolium castaneum</i> (Herbst)
redberry mite	<i>Acalitus essigi</i> (Hassan)
redclover thrips	<i>Haplothrips niger</i> (Osborn)
redlegged earth mite	<i>Halotydeus destructor</i> (Tucker)
redlegged ham beetle	<i>Necrobia rufipes</i> (de Geer)
redshouldered ham beetle	<i>Necrobia ruficollis</i> (F.)
redtailed cicada	<i>Rhodopsalta cruentata</i> (F.)
redwinged lycid beetle	<i>Metriorhynchus rufipennis</i> (F.)
reticulate stag beetle	<i>Lissotes reticulatus</i> (Westwood)
rhododendron lace bug	<i>Stephanitis rhododendri</i> Horvath
rice root aphid	<i>Rhopalosiphum rufiabdominalis</i> (Sasaki)
rice weevil	<i>Sitophilus oryzae</i> (L.)
ridgebacked stick insect	<i>Tectarchus diversus</i> Salmon
ridgebacked stick insect	<i>Tectarchus ovobessus</i> Salmon
root lesion nematodes	<i>Pratylenchus</i> spp.
rose aphid	<i>Macrosiphum rosae</i> (L.)
rose hip chalcid	<i>Megastigmus aculeatus</i> (Swederus)
rose scale	<i>Aulacaspis rosae</i> (Bouché)
Ross' black scale	<i>Lindingaspis rossi</i> (Maskell)
rusty banded aphid	<i>Dysaphis apiifolia</i> (Theobald)
rusty grain beetle	<i>Cryptolestes ferrugineus</i> (Stephens)

COMMON NAME	SCIENTIFIC NAME
sad ground beetle	<i>Rhytisternus miser</i> (Chaudoir)
saltpool mosquito	<i>Opifex fuscus</i> Hutton
San Jose scale	<i>Quadraspidiotus perniciosus</i> (Comstock)
sand dune cicada	<i>Rhodopsalta leptomera</i> (Myers)
sand fly (namu) - refer	West Coast black fly New Zealand black fly
sand weevils	<i>Cecyroga</i> spp.
sand wolf spiders	<i>Lycosa</i> spp.
sawtoothed grain beetle	<i>Oryzaephilus surinamensis</i> (L.)
scabies mite	<i>Sarcoptes scabiei</i> (de Geer)
scalyface mite	<i>Knemidokoptes pilae</i> (Laviopierre & Griffiths)
scalyleg mite	<i>Knemidokoptes mutans</i> (Robin & Lanquetin)
scavenging water beetle	<i>Enochrus tritus</i> (Broun)
Schellenberg's soldier bug	<i>Oechalia schellenbergii</i> (Guérin-Méneville)
seashore earwig (mata)	<i>Anisolabis littorea</i> (White)
seashore spider	<i>Myro marinus</i> (Goyen)
seaweed darkling beetles	<i>Chaerodes</i> spp.
seed bugs	<i>Nysius</i> spp.
seed mite	<i>Tyrophagus longior</i> (Gervais)
sevenspotted ladybird	<i>Coccinella septempunctata</i> L.
shaggy giant scale	<i>Coelostomidia pilosa</i> (Maskell)
shallot aphid	<i>Myzus ascalonicus</i> Doncaster
sheep body louse	<i>Damalinia ovis</i> (Schrank)
sheep face louse	<i>Linognathus ovillus</i> (Neumann)
sheep follicle mite	<i>Demodex ovis</i> Railliet
sheep foot louse	<i>Linognathus pedalis</i> (Osborn)
sheep itch mite	<i>Psorergates ovis</i> Womersley
sheep ked	<i>Melophagus ovinus</i> (L.)
sheep nasal bot fly	<i>Oestrus ovis</i> L.
sheep scab mite	<i>Psoroptes ovis</i> (Hering)
sheetweb spiders	<i>Cambridgea</i> spp.
shiny spider beetle	<i>Mezium affine</i> Boieldieu
shore bugs	<i>Saldula</i> spp.
shorthaired bumble bee	<i>Bombus subterraneus</i> (L.)
shorthorned flat beetle	<i>Cryptomorpha brevicornis</i> (White)
shortnosed cattle louse	<i>Haematopinus eurysternus</i> (Nitzsch)
shortnosed kauri weevil (uhu)	<i>Xenocnema spinipes</i> Wollaston
shotgun weevils	<i>Psephenax</i> spp.
silver beech leafminer	<i>Gracilaria seleniti</i> Meyrick
silver birch aphid	<i>Betulaphis quadrituberculata</i> (Kaltenbach)
silver y moth - refer	green looper
silverfish	<i>Lepisma saccharina</i> L.
silvery vagabond spider	<i>Anzacia gemma</i> (Dalmas)
Sinclair's longhorn	<i>Calliprason sinclairi</i> White
sirex wood wasp	<i>Sirex noctilio</i> F.
sitona weevil	<i>Sitona humeralis</i> Stephens

COMMON NAME	SCIENTIFIC NAME
sixeyed garden spider	<i>Dysdera crocata</i> (Koch)
sixpenny scale	<i>Ctenochiton viridis</i> Maskell
sixspotted mite	<i>Eotetranychus sexmaculatus</i> (Riley)
slender crop mirid	<i>Stenotus binotatus</i> (F.)
small blue blow fly	<i>Calliphora hortonae</i> (Walker)
small brown bush ant	<i>Prolasius advena</i> (Smith)
small driftwood weevil	<i>Macrorhyncholus littoralis</i> (Broun)
small eucalyptus tortoise beetle	<i>Trachymela sloanei</i> (Blackburn)
small field cricket	<i>Nemobius bivittatus</i> Walker
small field cricket	<i>Pteronemobius bigelowi</i> Swan
small field cricket	<i>Pteronemobius nigrovus</i> Swan
small garden bumble bee	<i>Bombus hortorum</i> (L.)
small hover fly	<i>Melanostoma fasciatum</i> (Macquart)
small sand scarab	<i>Pericoptus punctatus</i> (White)
small swimming mayfly	<i>Nesameletus ornatus</i> (Eaton)
Smith's chafer	<i>Odontria smithii</i> Broun
Smith's dragonfly	<i>Procordulia smithii</i> (White)
Smooth hard bodied harvestmen	<i>Nuncia</i> spp.
smooth stick insect	<i>Clitarchus hookeri</i> (White)
sod webworm	<i>Eudonia sabulosella</i> (Walker)
sod webworm	<i>Scoparia submarginalis</i> (Walker)
soft wax scale	<i>Gascardia destructor</i> (Newstead)
soil springtail	<i>Protaphorura armata</i> (Tullberg)
sombrero spider	<i>Stiphidion facetum</i> Simon
sootybeech scale	<i>Ultracoelostoma assimile</i> (Maskell)
Sorensen's spider	<i>Gradungula sorenseni</i> Forster
South Island lichen moth	<i>Declana egregia</i> (Felder)
southern ant	<i>Chelaner antarcticus</i> (White)
southern armyworm	<i>Persectania aversa</i> (Walker)
southern blue	<i>Zisina otis oxleyi</i> (Felder)
sowthistle aphid	<i>Hyperomyzus lactucae</i> (L.)
speargrass weevil	<i>Lyperobius huttoni</i> Pascoe
spearwinged fly	<i>Lonchoptera dubia</i> Curran
spiny longhorn	<i>Blosyropus spinosus</i> Redtenbacher
spinygilled mayfly	<i>Coloburiscus humeralis</i> (Walker)
spiral caddises	<i>Helicopsyche</i> spp.
spirea aphid	<i>Aphis citricola</i> van der Goot
spotted garden slug	<i>Limax maximus</i> L.
spruce aphid	<i>Elatobium abietinum</i> (Walker)
spruce mite	<i>Oligonychus ununguis</i> (Jacobi)
squareended cobweb spiders	<i>Episinus</i> spp.
squareended crab spiders	<i>Sidymella</i> spp.
squareended pirate spiders	<i>Mimetus</i> spp.
square nosed fungus beetle	<i>Lathridius minutus</i> (L.)
squeaking longhorn	<i>Hexatricha pulverulenta</i> (Westwood)
St John's wort beetle	<i>Chrysomela hyperici</i> (Forster)

COMMON NAME	SCIENTIFIC NAME
St John's wort gall midge	<i>Zeuxidiplosis giardi</i> (Kieffer)
stable fly	<i>Stomoxys calcitrans</i> (L.)
steelblue ladybird	<i>Oreus chalybeus</i> (Boisduval)
stem and bulb nematode	<i>Ditylenchus dipsaci</i> (Kühn)
Stephen's Island weta	<i>Deinacrida rugosa</i> Buller
stick caddis	<i>Triplectides obsoleta</i> (McLachlan)
straw itch mite	<i>Pyemotes tritici</i> (LaGreze-Fossat & Montagne)
strawberry aphid	<i>Chaetosiphon fragaefolii</i> (Cockereil)
strawberry leaf nematode	<i>Aphelenchoides fragariae</i> (Ritzema Bos)
strawberry root weevil	<i>Otiorhynchus ovatus</i> (L.)
striated ant	<i>Huberia striata</i> (Smith)
striped chafer	<i>Odontria striata</i> White
striped dung fly	<i>Hybomygia varia</i> (Walker)
striped longhorns	<i>Navomorpha</i> spp.
striped mosquito	<i>Aedes notoscriptus</i> (Skuse)
submetallic ground beetle	<i>Notagonum submetallicum</i> (White)
subterranean clover weevil	<i>Listroderes delaiguei</i> Germain
subterranean termites	<i>Coptotermes</i> spp.
suckergilled mayfly	<i>Deleatidium myzobranchium</i> Phillips
swamp crane fly	<i>Zelandotipula novae</i> (Schiner)
sweet chestnut aphid	<i>Myzocallis castanicola</i> Baker
sycamore aphid	<i>Drepanosiphum platanoidis</i> (Schrank)
tailed forest spider	<i>Arachnura feredayi</i> (Koch)
tailed grass spider	<i>Argiope protensa</i> (Koch)
tall tussock seed fly	<i>Diploptoxa neozelandica</i> Harrison
tanguru chafer	<i>Stethaspis suturalis</i> (F.)
tapestry moth	<i>Trichophaga tapetzella</i> (L.)
Tasmanian grass grub	<i>Aphodius tasmaniae</i> Hope
Tasmanian lacewing	<i>Micromus tasmaniae</i> (Walker)
tawny field slug	<i>Agriolimax agrestis</i> L.
tawny garden slug	<i>Limax flavus</i> L.
thistle aphid	<i>Capitophorus elaeagni</i> (del Guercio)
thread bug	<i>Empicoris rubromaculatus</i> (Blackburn)
three lobed spider	<i>Cyclosa trilobata</i> (Urquhart)
throat bot fly	<i>Gasterophilus nasalis</i> (L.)
tiger beetles (hapuku)	<i>Neocicindela</i> spp.
timothy thrips	<i>Chirothrips manicatus</i> (Haliday)
tiny brown ant	<i>Monomorium antipodum</i> (Forel)
tobacco beetle	<i>Lasioderma serricornis</i> (F.)
tobacco moth	<i>Ephestia elutella</i> (Hübner)
toebiter (puene) - refer	dobsonfly
tokoriro weta	<i>Hemideina thoracica</i> White
tomato fruitworm	<i>Helicoverpa armigera conferta</i> (Walker)

COMMON NAME	SCIENTIFIC NAME
tomato russet mite	<i>Aculops lycopersici</i> (Massee)
tomato stem borer	<i>Scrobipalpa plaesiosema</i> (Turner)
Topal's beetle	<i>Archeocrypticus topali</i> Kaszab
totara aphid	<i>Neophyllaphis totarae</i> Cottier
tree trapdoor spiders	<i>Migas</i> spp.
tropical armyworm	<i>Spodoptera litura</i> (F.)
tropical fowl mite	<i>Ornithonyssus bursa</i> (Berlese)
tropical rat mite	<i>Ornithonyssus bacoti</i> (Hirst)
tulip bulb aphid	<i>Dysaphis tulipae</i> (Boyer de Fonscolombe)
tussock butterfly	<i>Argyrophenga antipodum</i> Doubleday
tussock cicada	<i>Kikihia angusta</i> (Walker)
tussock damsel bug	<i>Nabis mauricus</i> Walker
tussock katydids	<i>Conocephalus</i> spp.
twospined spider	<i>Poecilopachys bispinosa</i> (Keyserling)
twospined weevil	<i>Nyctetes bidens</i> (F.)
twospotted ground beetle	<i>Agonochila binotata</i> (Erichson)
twospotted ladybird	<i>Adalia bipunctata</i> (L.)
twospotted spider mite	<i>Tetranychus urticae</i> Koch
twotoothed longhorn	<i>Ambeodontus tristis</i> (F.)
ubiquitous house spider	<i>Tegenaria domestica</i> (Clerk)
vadalia beetle - refer	cardinal ladybird
variable cicada (kihikihi kai)	<i>Kikihia muta</i> (F.)
variable wireworm	<i>Agrypnus variabilis</i> (Candeze)
varied carpet beetle	<i>Anthrenus verbasci</i> (L.)
variegated longhorn	<i>Coptomma variegatum</i> (F.)
variegated spittle bug	<i>Carystoterpa fingens</i> (Walker)
vegetable weevil	<i>Listroderes costirostris</i> Schönherr
velvet eucalypt longhorn	<i>Tessaromma undatum</i> Newman
vexing rove beetles	<i>Atheta</i> spp.
Victoria weevil	<i>Desiantha diversipes lineata</i> Pascoe
vigilant mosquito	<i>Culex pervigilans</i> Bergroth
Wakefield's click beetle	<i>Thoramus wakefieldi</i> Sharp
walnut blister mite	<i>Aceria tristriata</i> (Nalepa)
walnut erineum mite	<i>Aceria erineae</i> (Nalepa)
waratah scale	<i>Phenacaspis eugeniae</i> (Maskell)
water spider	<i>Dolomedes aquaticus</i> (Goyen)
water measurer	<i>Hydrometra risbeci</i> Hungerford

COMMON NAME	SCIENTIFIC NAME
waterlily aphid	<i>Rhopalosiphum nymphaeae</i> (L.)
wattle longhorn	<i>Bethelium signiferum</i> (Newman)
wattle miner	<i>Parectopa alysidota</i> Meyrick
webbing clothes moth	<i>Tineola bisselliella</i> (Hummel)
West Coast black fly	<i>Austrosimulium unguatum</i> Tonnoir
West Coast bush weta	<i>Hemideina broughi</i> Buller
wet grain mite	<i>Sancassania berlessei</i> (Michael)
wetapunga	<i>Deinacrida heteracantha</i> White
wharf borer	<i>Nacerdes melanura</i> (L.)
wheat bug	<i>Nysius huttoni</i> White
wheat cockle nematode	<i>Anguina tritici</i> (Steinbuch)
wheat curl mite	<i>Aceria tulipae</i> (Keifer)
wheat pollard itch mite	<i>Suidasia nesbitti</i> Hughes
wheat sheath miner	<i>Cerodontha denticornis</i> (Panzer)
white butterfly	<i>Pieris rapae</i> (L.)
white butterfly parasite	<i>Apanteles glomeratus</i> (L.)
white totara scale	<i>Leucaspis podocarpi</i> Green
whitebanded orbweb spider	<i>Araneus crassus</i> (Walckenaer)
whitefooted house ant	<i>Technomyrmex albipes</i> (Smith)
whitefringed weevil	<i>Graphognathus leucoloma</i> (Boheman)
whiteshouldered house moth	<i>Endrosis sarcitrella</i> (L.)
whitespotted ichneumonid	<i>Echthromorpha intricatoria</i> (F.)
whitestriped litter fly	<i>Poecilohetaerella bilineata</i> (Hutton)
whitetailed spider	<i>Lampona cylindrata</i> Koch
whitetipped clover casebearer	<i>Coleophora frischella</i> L.
willow gall sawfly	<i>Pontania proxima</i> (Lepeletier)
winter grain mite	<i>Penthaleus major</i> (Dugés)
winter mosquito	<i>Aedes antipodeus</i> (Edwards)
woolly aphid parasite	<i>Aphelinus mali</i> (Haldeman)
woolly apple aphid	<i>Eriosoma lanigerum</i> (Hausmann)
yellow admiral	<i>Bassaritis itea</i> (F.)
yellow mealworm	<i>Tenebrio molitor</i> L.
yellow pasture leafhopper	<i>Zygina zealandica</i> (Myers)
yellowbanded leafroller parasite	<i>Xanthopimpla rhopaloceros</i> Krieger
yellowfaced bees	<i>Hylaeus</i> spp.
yellowspotted chafer	<i>Odontria xanthosticta</i> White

COMMON NAME	SCIENTIFIC NAME
St John's wort gall midge	<i>Zeuxidiplosis giardi</i> (Kieffer)
stable fly	<i>Stomoxys calcitrans</i> (L.)
steelblue ladybird	<i>Orcus chalybeus</i> (Boisduval)
stem and bulb nematode	<i>Ditylenchus dipsaci</i> (Kühn)
Stephen's Island weta	<i>Deinacrida rugosa</i> Buller
stick caddis	<i>Triplectides obsoleta</i> (McLachlan)
straw itch mite	<i>Pyemotes tritici</i> (LaGreze-Fossat & Montagne)
strawberry aphid	<i>Chaetosiphon fragaefolii</i> (Cockerell)
strawberry leaf nematode	<i>Aphelenchoides fragariae</i> (Ritzema Bos)
strawberry root weevil	<i>Otiorhynchus ovatus</i> (L.)
striated ant	<i>Huberia striata</i> (Smith)
striped chafer	<i>Odontria striata</i> White
striped dung fly	<i>Hybopygia varia</i> (Walker)
striped longhorns	<i>Navomorpha</i> spp.
striped mosquito	<i>Aedes notoscriptus</i> (Skuse)
submetallic ground beetle	<i>Notagonum submetallicum</i> (White)
subterranean clover weevil	<i>Listroderes delaiguei</i> Germain
subterranean termites	<i>Coptotermes</i> spp.
suckergilled mayfly	<i>Deleatidium myzobranchium</i> Phillips
swamp crane fly	<i>Zelandotipula novarae</i> (Schiner)
sweet chestnut aphid	<i>Myzocallis castanicola</i> Baker
sycamore aphid	<i>Drepanosiphum platanoidis</i> (Schrank)
tailed forest spider	<i>Arachnura feredayi</i> (Koch)
tailed grass spider	<i>Argiope protensa</i> (Koch)
tall tussock seed fly	<i>Diploptera neozelandica</i> Harrison
tanguru chafer	<i>Stethaspis suturalis</i> (F.)
tapestry moth	<i>Trichophaga tapetzella</i> (L.)
Tasmanian grass grub	<i>Aphodius tasmaniae</i> Hope
Tasmanian lacewing	<i>Micromus tasmaniae</i> (Walker)
tawny field slug	<i>Agriolimax agrestis</i> L.
tawny garden slug	<i>Limax flavus</i> L.
thistle aphid	<i>Capitophorus elaeagni</i> (del Guercio)
thread bug	<i>Empicoris rubromaculatus</i> (Blackburn)
three lobed spider	<i>Cyclosa trilobata</i> (Urquhart)
throat bot fly	<i>Gasterophilus nasalis</i> (L.)
tiger beetles (hapuku)	<i>Neocicindela</i> spp.
timothy thrips	<i>Chirothrips manicatus</i> (Haliday)
tiny brown ant	<i>Monomorium antipodum</i> (Forel)
tobacco beetle	<i>Lasioderma serricorne</i> (F.)
tobacco moth	<i>Ephestia elutella</i> (Hübner)
toebiter (puene) - refer	dobsonfly
tokoriro weta	<i>Hemideina thoracica</i> White
tomato fruitworm	<i>Helicoverpa armigera conferta</i> (Walker)

COMMON NAME	SCIENTIFIC NAME
tomato russet mite	<i>Aculops lycopersici</i> (Massee)
tomato stem borer	<i>Scrobipalpa plaesiosema</i> (Turner)
Topal's beetle	<i>Archeocrypticus topali</i> Kaszab
totara aphid	<i>Neophyllaphis totarae</i> Cottier
tree trapdoor spiders	<i>Migas</i> spp.
tropical armyworm	<i>Spodoptera litura</i> (F.)
tropical fowl mite	<i>Ornithonyssus bursa</i> (Berlese)
tropical rat mite	<i>Ornithonyssus bacoti</i> (Hirst)
tulip bulb aphid	<i>Dysaphis tulipae</i> (Boyer de Fonscolombe)
tussock butterfly	<i>Argyrophenaga antipodum</i> Doubleday
tussock cicada	<i>Kikihia angusta</i> (Walker)
tussock damsel bug	<i>Nabis maoricus</i> Walker
tussock katydids	<i>Conocephalus</i> spp.
twospined spider	<i>Poecilopachys bispinosa</i> (Keyserling)
twospined weevil	<i>Nyxetes bidens</i> (F.)
twospotted ground beetle	<i>Agonochila binotata</i> (Erichson)
twospotted ladybird	<i>Adalia bipunctata</i> (L.)
twospotted spider mite	<i>Tetranychus urticae</i> Koch
twotoothed longhorn	<i>Ambeodontus tristis</i> (F.)
ubiquitous house spider	<i>Tegenaria domestica</i> (Clerk)
vadalia beetle - refer	cardinal ladybird
variable cicada (kikihiki kai)	<i>Kikihia muta</i> (F.)
variable wireworm	<i>Agrypnus variabilis</i> (Candeze)
varied carpet beetle	<i>Anthrenus verbasci</i> (L.)
variegated longhorn	<i>Coptomma variegatum</i> (F.)
variegated spittle bug	<i>Carystoterpa fagens</i> (Walker)
vegetable weevil	<i>Listroderes costirostris</i> Schönherr
velvet eucalypt longhorn	<i>Tessaromma undatum</i> Newman
vexing rove beetles	<i>Atheta</i> spp.
Victoria weevil	<i>Desiantha diversipes lineata</i> Pascoe
vigilant mosquito	<i>Culex pervigilans</i> Bergroth
Wakefield's click beetle	<i>Thorumus wakefieldi</i> Sharp
walnut blister mite	<i>Aceria tristriata</i> (Nalepa)
walnut erineum mite	<i>Aceria erinea</i> (Nalepa)
waratah scale	<i>Phenacaspis eugeniae</i> (Maskell)
water spider	<i>Dolomedes aquaticus</i> (Goyen)
water measurer	<i>Hydrometra risbeci</i> Hungerford

COMMON NAME	SCIENTIFIC NAME
waterlily aphid	<i>Rhopalosiphum nymphaeae</i> (L.)
wattle longhorn	<i>Bethelium signiferum</i> (Newman)
wattle miner	<i>Parectopa alysidota</i> Meyrick
webbing clothes moth	<i>Tineola bisselliella</i> (Hummel)
West Coast black fly	<i>Austrosimulium unguatum</i> Tonnoir
West Coast bush weta	<i>Hemideina broughi</i> Buller
wet grain mite	<i>Sancassania berlesesi</i> (Michael)
wetapunga	<i>Deinacrida heteracantha</i> White
wharf borer	<i>Nacerdes melanura</i> (L.)
wheat bug	<i>Nysius huttoni</i> White
wheat cockle nematode	<i>Anguina tritici</i> (Steinbuch)
wheat curl mite	<i>Aceria tulipae</i> (Keifer)
wheat pollard itch mite	<i>Suidasia nesbitti</i> Hughes
wheat sheath miner	<i>Cerodontha denticornis</i> (Panzer)
white butterfly	<i>Pieris rapae</i> (L.)
white butterfly parasite	<i>Apanteles glomeratus</i> (L.)
white totara scale	<i>Leucaspis podocarpi</i> Green
whitebanded orbweb spider	<i>Araneus crassus</i> (Walckenaer)
whitefooted house ant	<i>Technomyrmex albipes</i> (Smith)
whitefringed weevil	<i>Graphognathus leucoloma</i> (Boheman)
whiteshouldered house moth	<i>Endrosis sarcitrella</i> (L.)
whitespotted ichneumonid	<i>Echthromorpha intricatoria</i> (F.)
whitestriped litter fly	<i>Poecilohetaerella bilineata</i> (Hutton)
whitetailed spider	<i>Lampona cylindrata</i> Koch
whitetipped clover casebearer	<i>Coleophora frischella</i> L.
willow gall sawfly	<i>Pontania proxima</i> (Lepeletier)
winter grain mite	<i>Penthaleus major</i> (Dugés)
winter mosquito	<i>Aedes antipodeus</i> (Edwards)
woolly aphid parasite	<i>Aphelinus mali</i> (Haldeman)
woolly apple aphid	<i>Eriosoma lanigerum</i> (Hausmann)
yellow admiral	<i>Bassaritis itea</i> (F.)
yellow mealworm	<i>Tenebrio molitor</i> L.
yellow pasture leafhopper	<i>Zygina zealandica</i> (Myers)
yellowbanded leafroller parasite	<i>Xanthopimpla rhopaloceros</i> Krieger
yellowfaced bees	<i>Hylaeus</i> spp.
yellowspotted chafer	<i>Odontria xanthosticta</i> White

